

# Checklist of fish and invertebrates listed in the CITES appendices



A/N 22016

wmc Repairs 88

**Checklist of fish and invertebrates  
listed in the CITES Appendices**

compiled by  
Patricia C. Almada-Villela  
of the  
IUCN Conservation Monitoring Centre


with contributions from  
N. Mark Collins (Insecta and Araneae)  
Tim Inskipp (All taxa)  
Simon J. Moore (Antipatharia)

**ERRATA**

page ii line 15 1986 should read 1988

page 13 line 8 8 should read 2

Published by the Nature Conservancy Council  
in its capacity as  
United Kingdom CITES Scientific Authority for Animals  
1988



Digitized by the Internet Archive  
in 2010 with funding from  
UNEP-WCMC, Cambridge



## CONTENTS

	Page
Preface	i
Acknowledgements	i
Introductory notes	ii
Geographical range	ii
Explanatory notes	iii
Nomenclatural sources and notes	iv
Fish - Taxonomic List	1
References	5
Index	13
Invertebrates - Taxonomic List	14
References	46
Index	74



## PREFACE

This checklist forms part of a series prepared for the United Kingdom's Scientific Authority for Animals to assist in implementing the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES).

For reasons explained in the introductory notes it was decided not to include non-CITES taxa listed in the Red Data Books in this volume. However the remainder of the format is the same as that used in the companion checklists for higher animal classes and we hope that it will prove just as useful to those assessing applications for CITES permits to import and export animals.

The Nature Conservancy Council, as the United Kingdom's Scientific Authority for Animals is grateful to Patricia C. Almada-Villela of the IUCN Conservation Monitoring Centre for compiling this document on its behalf.

## ACKNOWLEDGEMENTS

This checklist was produced by the IUCN Conservation Monitoring Centre, Cambridge, under contract HF3-10-09(F) from the Nature Conservancy Council of the United Kingdom.

Compiled by: Patricia C. Almada-Villela

Contributions from: N. Mark Collins (Insecta and Araneae)  
Tim Inskipp (All taxa)  
Simon J. Moore (Antipatharia)

The compiler is extremely grateful to Perla C. Almada-Villela and to the staff of the IUCN Conservation Monitoring Centre for their invaluable assistance, especially Steven Broad, John Caldwell, Brian Groombridge, Martin Jenkins, Zbig Karpowicz, Nick Phillips, Alison Suter and Jane Thornback. Thanks also to Susan M. Wells, formerly of the IUCN Conservation Monitoring Centre, and Jonathan L. Watkins.

The various draft sections of this publication were kindly reviewed by C. Almada, P. Beron, M. Boeseman, P. Ceballos, J. Chambers, P. Cornelius, M.J. Dadswell, G.B. Delmastro, P.S. Economidis, J.M. Elliott, I. Flasar, C.A. Goncalves da Cruz, J.-P. Gosse, P.H. Greenwood, M.G. Hadfield, B. Herzig, J. Holcik, R.I. Johnson, G. Jonsson, M. Kottelat, D.E. McAllister, J.L. Munro, J. Nielsen, H. Nijssen, N.-A. Nilsson, J.D. Ovington, P. Pethon, R.T. Sawyer, G.G. Scoppettone, T.I.J. Smith, J. Toth, S. Vigg, K.J. Walker, D. Ward, A. Wheeler and E. Wood, to whom CMC is most grateful.

1st edition published 1988

(c) Nature Conservancy Council 1988 ISBN 086139 466 6



## INTRODUCTORY NOTES

The purpose of this work is to provide a list of the species and subspecies of fish and invertebrates included in Appendices I, II and III of the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES). Other checklists in the same series have also included all species listed in the IUCN Red Data Book. This volume departs from this standard and only makes reference to the Red Data Book status of the CITES listed species. This is because Pisces and Invertebrata are such large groups that a great deal still remains to be done before we can have an evaluation of the status of many species. Thus, the Red Data Books for these two groups are not comprehensive reviews of all the threatened species, but instead contain only representative examples of the types of threats suffered by these groups.

The status of the listed species is taken from the 1986 IUCN Red List of Threatened Animals. The Red List is a summary of information on all taxa known to be at risk. Additional information can be found in Miller [71], Wells [395], and Collins and Morris [81], together with unpublished data sheets for North American fish taxa dated 1983, 1984 and 1985 held at the Conservation Monitoring Centre.

For each taxon, the scientific name is given first, with the currently most frequently used synonyms in brackets. Common names appear on the following lines, below which the geographical range is indicated. The numbers appearing in square brackets refer to entries in the reference list at the back of this document.

## GEOGRAPHICAL RANGE

The geographical range of each taxon is given in terms of political units, listed in alphabetical order. The political names used are those in common usage and not necessarily diplomatically correct.

When a taxon is found within one or only a few restricted areas within a larger political unit, the name of the smaller area is given in brackets, e.g. Indonesia (Kalimantan).

When the name of a country is given as within the range of a certain taxon, that taxon may or may not occur throughout the country and may even occur only peripherally.

Without surveying the range of each taxon in the field, it is necessary to rely on published records. Most taxonomic works give the range of a taxon in terms of broad geographical areas, rather than of political units. While some countries have a relatively well-known and well-reported fish and invertebrate fauna, some others do not. These factors may occasionally have resulted in some of the geographical ranges given here being incomplete or inaccurate, but every effort has been made to prevent this.



## EXPLANATORY NOTES

For each taxon there may be coded entries in any of the four columns down the right-hand side of the page. Under CITES, I, II or III refers to the CITES Appendix on which the taxon is listed, as at 22 October 1987.

Entries under RDB indicate the IUCN category status:

- E = Endangered
- V = Vulnerable
- R = Rare
- O = Out of danger
- K = Insufficiently known
- Id = Indeterminate (given as 'I' in RDB, but modified here to avoid confusion with the CITES 'I' entry)
- CT = Commercially threatened

Exp: Major exploitation of taxon; where known, a category of secondary importance is given in brackets.

- BM = Building material (coral for construction work, etc.)
- Der = Derivatives and other products containing derivatives (eg hirudin)
- F = Food (which may include local and/or commercial use)
- LA = Live animal trade (for pets, medical research, zoos, etc.)
- P = Part or whole shell used as seed pearls
- Pr = Preserved specimens
- S = Shells and corals (decoration, tools, wash basins, jewellery, etc.)
- T = Trophies

Ref: The numbers in the column on the far right refer to entries in the reference list at the back of this document. These references may contain information on the status, distribution or nomenclature of the taxon in question. References which refer to the taxon in only a limited part of its range are generally excluded from this column and, instead, included in square brackets at the appropriate place(s) within the geographical range information.

After the scientific and common name of each taxon, the countries or other political units of occurrence are listed alphabetically. Country names in square brackets [ ] indicate that the taxon is introduced there and does not occur naturally. The following abbreviations are used to indicate the status of the information or of the taxon:

- ? = may occur; e.g. records may be conflicting or unconfirmed
- (ex) = extinct, but used to occur
- (ex?) = known to have occurred in recent times, but may now be extinct
- ?(ex) = may have occurred but does not now

## NOMENCLATURAL SOURCES AND NOTES

The Conference of the Parties to CITES has not adopted any standard nomenclature for fish and invertebrates with the exception of the work by B. D'Abrera [90] on which the names for the birdwing butterflies are based. The present checklist therefore follows the names listed in the CITES Appendices. However, where the names used differ from those included in Nelson [73] and Parenti [78] for fish and Parker [252] for invertebrates, the synonymy used by these works has been noted.

The systematics of invertebrates have been the subject of numerous studies. Therefore, the nomenclature used for some of the CITES listings may differ from that in the latest scientific reviews, as CITES may not yet have been able to follow these changes. In particular, there have been extensive revisions of the papilionid tribe Troidini and the pearly mussels of the family Unionidae. Most of these changes have been noted in this text.

Miller [229] has radically reviewed the taxonomy of the Troidini and united all the birdwing butterflies in the single genus Troides with two subgenera: Troides (including Troides, Ripponia and Ornithoptera) and Trogonoptera. It remains to be seen whether this rearrangement will meet with general acceptance; if it does, it would be useful for the CITES Nomenclature Committee to review these taxa. A table has been included in the text to help clarify the problem of the complex taxonomy of the Ornithoptera priamus group.

Similarly, the taxonomy of the Unionidae species was reviewed in 1978 by Johnson [186] who transferred many of the Epioblasma species to other genera. A monograph on other species in the same family was published in 1980 by Johnson [187].

The taxonomic scope and sequence of orders follows the system adopted in the Appendices to CITES.

The common names used have been taken from the IUCN Red Data Book series and from a number of standard reference works for fish and insects of particular regions. Secondary common names have been included wherever this was considered useful, including non-English names commonly used by English speakers.

# FISH - TAXONOMIC LIST

		Page
CERATODIFORMES		
Ceratodidae	<u>Neoceratodus forsteri</u>	2
COELACANTHIFORMES		
Latimeriidae	<u>Latimeria chalumnae</u>	2
ACIPENSERIFORMES		
Acipenseridae	<u>Acipenser brevirostrum</u>	2
	<u>Acipenser oxyrhynchus</u>	2
	<u>Acipenser sturio</u>	2
OSTEOGLOSSIFORMES		
Osteoglossidae	<u>Arapaima gigas</u>	2
	<u>Scleropages formosus</u>	3
CYPRINIFORMES		
Cyprinidae	<u>Caecobarbus geertsi</u>	3
	<u>Probarbus jullieni</u>	3
Catostomidae	<u>Chasmistes cujus</u>	3
SILURIFORMES		
Schilbeidae	<u>Pangasianodon gigas</u>	3
ATHERINIFORMES		
Cyprinodontidae	<u>Cynolebias constanciae</u>	3
	<u>Cynolebias marmoratus</u>	3
	<u>Cynolebias minimus</u>	4
	<u>Cynolebias opalescens</u>	4
	<u>Cynolebias splendens</u>	4
PERCIFORMES		
Sciaenidae	<u>Cynoscion macdonaldi</u>	4



	CITES	RDB	Exp	Ref	Notes
Class OSTEICHTHYES					
Order CERATODIFORMES					
Family Ceratodidae					
<u>Neoceratodus forsteri</u>	II	-	-	12,13,	
Australian Lungfish,				34,49,	
Queensland Lungfish,				68,69,	
Australia (Queensland)				70,73	
Order COELACANTHIFORMES					
Family Latimeriidae					
<u>Latimeria chalumnae</u>	II	K	-	33,60,	
Coelacanth, Gombessa, Latimeria				65,73,	
Comoros, South Africa (ex)					
Order ACIPENSERIFORMES					
Family Acipenseridae					
<u>Acipenser brevirostrum</u>	I	V	F	21,36,	
Shortnose Sturgeon				41,47,	
Canada [14,20,39,57,66],				75,84,	
USA [8,53,67,86,105]				87,107	
<u>Acipenser oxyrhynchus</u>	II	V	F	36,41,	
Atlantic Sturgeon,				47,72,	
Esturgeon Noir				84,92,	
Bermuda [102], Canada				107	
[96], USA [8,67,91,93,105]					
<u>Acipenser sturio</u>	I	E	F,	6,10,	
Atlantic Sturgeon			(Der)	24,30,	
Common Sturgeon				58,59,	
Albania, Algeria, Belgium				63,82	
(ex?) [80], Bulgaria (ex?)					
[9], Czechoslovakia (ex)					
[31,32], Denmark (ex) [61],					
Finland (ex?), France [50,94],					
Federal Republic of Germany					
(ex) [7,22,98], Greece [25],					
Iceland (ex?), Ireland (ex?)					
[104], Italy [1,23], Morocco,					
Netherlands (ex?) [74], Norway					
(ex?) [79], Poland (ex?)					
[28,42], Portugal [2,3],					
Romania [100], Spain (ex?)					
[43,45], Sweden (ex?) [18],					
Switzerland?, Turkey [52,54],					
UK [62,103], USSR, Yugoslavia					
(ex?)					
Order OSTEGLLOSSIFORMES					
Family Osteoglossidae					
<u>Arapaima gigas</u>	II	V	LA	29, 35,	
Arapaima, Pirarucu				47, 71	
Brazil [4,11,90],					
Guyana, Peru [106]					

	CITES	RDB	Exp	Ref	Notes
<u>Scleropages formosus</u> Asian Arowana, Asian Bonytongue Borneo, Burma?, Indonesia, Kampuchea [19], Laos, Malaysia (Pen. Malaysia), Philippines, Singapore, Thailand (ex?) [95], Vietnam	I	K	LA, F	5,15, 26,47, 48,51, 64,85	
Order CYPRINIFORMES Family Cyprinidae <u>Caecobarbus geertsii</u> African Blind Barb Fish, Zaire (Bas-Za re)	II	-	LA	27	
<u>Probarbus jullieni</u> Ikan Temoleh, Pla Eesok Kampuchea [19,51] Laos, Malaysia [46], Thailand [88], Vietnam	I	K	F	5,47, 71,76, 97	
Family Catostomidae <u>Chasmistes cujus</u> Cui-ui USA (Nevada)	I	E	(F)	17,47, 83,89	
Order SILURIFORMES Family Schilbeidae (=Pangasiidae) <u>Pangasianodon gigas</u> Giant Catfish, Pla Buk Burma, China (Yunnan) [40], Kampuchea [19,51], Laos, Thailand [88,95], Vietnam	I	V	F	5,47, 71,73, 76,77, 81	
Order ATHERINIFORMES (=CYPRINODONTIFORMES) Sub Order APLOCHEILOIDEI Family Cyprinodontidae (=Rivulidae) <u>Cynolebias constanciae</u> Pearlfish Brazil (Rio de Janeiro)	II	V	LA	16,37, 38,55, 71,73, 78	
<u>Cynolebias marmoratus</u> (=C. porosus, C. sicheleri, C. zingiberinus, Cynopoecilus marmoratus) Ginger Pearlfish Brazil (Rio de Janeiro) (ex?)	II	E	-	16,37, 44,47, 55,56, 71,78	

	CITES	RDB	Exp	Ref	Notes
<u>Cynolebias minimus</u> (= <u>Cynopoecilus minimus</u> ) Minute Pearlfish Brazil (Rio de Janeiro)	II	Id	-	16,37, 44,47, 71,78	
<u>Cynolebias opalescens</u> (= <u>C. fluminensis</u> , <u>C. whitei</u> , <u>Cynopoecilus opalescens</u> ) Opalescent Pearlfish Brazil (Rio de Janeiro) (ex?)	II	E	-	16,37, 44,47, 55,71, 78	
<u>Cynolebias splendens</u> (= <u>C. sandrii</u> , <u>Cynopoecilus</u> <u>splendens</u> ) Splendid Pearlfish Brazil (Rio de Janeiro)	II	E	-	16,37, 44,47, 71,78	
Order PERCIFORMES Family Sciaenidae <u>Cynoscion macdonaldi</u> (= <u>Totoaba macdonaldi</u> ) Totoaba Mexico (Gulf of California)	I	E	F	47,99, 101	



## FISH - REFERENCES

1. Alesio, G. and Gandolfi, G. (1983). Censimento e distribuzione attuale delle specie ittiche nel bacino del fiume Po. Instituto di Ricerca Sulle Acque Quaderni 67: 1-92.
2. Alma a, C. (in press). A lampreia e o esturjao na Bacia do Douro. Actas 1<sup>o</sup> Congresso Internacional sobre o Rio Douro, Vila Nova de Gaiz.
3. Alma a, C. (in press). On the sturgeon, Acipenser sturio Linnaeus, 1758, in the Portuguese rivers and sea. Folia Zoologica, Bratislava.
4. Anon. (1981). Conservation of nature and natural resources in the Brazilian Amazon. CVRD-revista, Vol.2, Special Ed. Pp: 37-45.
5. Bain, J.R. and Humphrey, S.R. (1982). A profile of the endangered species of Thailand. Vol.1. Through birds. Report No.4. Office of Ecological Services, Florida State Museum, University of Florida, Gainesville, Florida. 367 pp.
6. Bannikov, A.G. and Sokolov, V.I. (Eds) (1984). The Red Data Book of the USSR. Rare and Threatened Species of Animals and Plants. Lesnaya Promiishlyennost Press, Moscow (in Russian).
7. Blab, J., Nowak, E., Kreft, E., Lelek, A. and Tesch, F.-W. (1977). Rote Liste der Fische (Pisces) und Rundm uler (Cyclostomata). 2. Fassungi. Stand: 15. 3. 1977.
8. Blodget, B.G. and Cardoza, J.E. (1983). Nongame wildlife for special consideration in Massachusetts. Fauna of Massachusetts 5: 1-10.
9. Botev, S.B. and Peshev, T. (Eds). (undated). The Red Data Book of Bulgaria. Vol.2 Animals. 183 pp.
10. Bottger, B., Jens, G., Keiz, G., Lelek, A., Mau, G., Muller, D. and Riedel, D. (1979). Gutachten zur der Aufnahme von Fischen in die Artenliste der Bundersartenschutzverordnung. Arbeiten des Deutschen Fischerei-Verbandes 28: 1-109.
11. Britski, H.A. and de Figueiredo, J.L. (1972). Peixes brasileiros que necessitam de protecao. In: Especies da fauna brasileira Ameacadas de Extincao. Academia Brasileira de Ciencias, Rio de Janeiro, Gb. 175 pp.
12. Burton, R., Kennedy, M. and Fry, I. (1986). The threatened vertebrates. In: Kennedy, M. and Ross, B. (Eds), A Threatened Species Conservation Strategy for Australia. - Policies for the Future. Pp. 8-12.
13. Campbell, K.S.W. (1981). Lungfishes - alive and extinct. Field Museum Natural History Bulletin 52(8): 3-5.

14. Campbell, R.R. (1984). Rare and endangered fishes of Canada: The Committee on the status of endangered wildlife in Canada (COSEWIC) Fish and Marine Mammals Subcommittee. Canadian Field-Naturalist 98(1): 71-74.
15. Chiam, E. (1987). Swimming gold from Malaysia. Tropical Fish Hobbyist, New York. June 1987.
16. Cortes de Lacerda, M.T. (1987). Comentarios sobre as especies de Cynolebias incluídas na lista dos peixes ameaçados de extinção. Revista de Aquariofilia 3: 34-36.
17. Cui-ui Recovery Team (1983). Revised Cui-ui Recovery Plan November 22, 1983. U.S. Fish and Wildlife Service Portland, Oregon. 25 pp.
18. Curry-Lindahl, K. (1985). Vara fiskar. Havs-och Sotvattensfiskar i Norden och ovriga Europa. P.A. Norstedt and Soners Forlag. Stockholm. 528 pp.
19. D'Aubenton, F. (1963). Rapport sur le fonctionnement d'un barrage mobile sur le Tonle-Sap. Republique Francaise. Ministere des Affaires Etrangeres. Mission Francaise d'Aide Economique et Technique au Cambodge. Mus um National d'Histoire Naturelle. 40 pp.
20. Dadswell, M.J. 1984. Status of the shortnose sturgeon, Acipenser brevirostrum, in Canada. Canadian Field-Naturalist 98(1): 75-79.
21. Dadswell, M.J., Taubert, B.D.; Squires, T.S.; Marchette, D. and Buckley, J. (1984). Synopsis of biological data on shortnose sturgeon, Acipenser brevirostrum Le Suer 1818. NOAA Technical Report NMFS 14. FAO Fisheries Synopsis 140: 1-45.
22. Dehus, P. (1982). Rote Liste der Susswasserfische Schleswig-Holsteins. 1. Fassung. In: Rote Listen der Pflanzen und Tiere Schleswig-Holsteins. Schriftenreihe des Landesamtes fur Naturschutz und Landschaftspflege Schleswig-Holstein, Kiel. Pp. 95-97.
23. Delmastro, G.B. (1982). Guida ai pesci del Bacino del Po - e delle acque dolci d'Italia. Museo Civico di Storia Naturale di Carmagnola. CLESAV, Milano. 190 pp.
24. Duncker, G., Ehrenbaum, E., Kyle, H.M., Mohr, E.W. and Schnakenbeck, W. (1929). Die fische der Nord-und Ostsee. Akademische Verlags GmbH, Leipzig (in German).
25. Economidis, P.S. (1973). Catalogue des Poissons de la Grece. Hellenic Oceanology and Limnology 11: 421-598 (in French).
26. Ensoll, B., Furtado, J.I. and Scott, D.B.C. (undated). Notes on Scleropages formosus (Miller and Schlegel) in Malaya.
27. Evans, D. (1985). Caecobarbus geertsii. In Dollinger, P. (Ed.), CITES Identification Manual. Vol.3. Reptilia, Amphibia, Pisces. Secretariat of the Convention. Lausanne, Switzerland.

28. Ferens, B. (1965). Animal species under protection in Poland (Ochrona gatunkowa zwierzat w Polsce). Translated from Polish. Sci. Pub. Forg. Coop. Center Central Instl Sci. Tech. and Economic Information.
29. Fink, W.L. and Fink, S.V. (1979). Central Amazonia and its fishes. Comparative Biochemistry and Physiology 62A: 13-29.
30. Flasar, I. and Flasarova, M. (1975). Die Wirbeltierfauna Nordwestbohmens (severozapadni Cechy) Die bisherigen Ergebnisse ihrer Erforschung. Zoologische Abhandlungen Staatliches Museum fur Tierkunde, Dresden 33: 1-150.
31. Flasar, I. and Flasarova, M. (1981). O Rybach Reky Ohre. Krajske Museum Teplice-Povodi Ohre Chomutov. Teplice. 95 pp.
32. Flasar, I. and Flasarova, M. (1985). Bibliographie uber die Fische des Flusses Ohre (Eger, CSSR) und seiner Zuflusse (Cyclostomata et Osteichthyes). Zoologische Abhandlungen Staatliches Museum fur Tierkunde, Dresden 41(6): 77-91
33. Fricke, H. and Schauer, J. (1987). Im Reich der lebenden Fossilien. Geo 10: 15-34.
34. Fry, I. and Kennedy, M. (1986). Correlating habitats with high priority threatened species. Chapter VI. In: M. Kennedy and R. Burton (Eds). A Threatened Species Conservation Strategy for Australia - Policies for the future. Ecofund Australia. Pp. 39-42.
35. Gery, J. (1969). The freshwater fishes of South America. In: E.J. Fittkau, J. Illies, H. Klinge, G.H. Schwahe H. Sioli (Eds), Biogeography and Ecology in South America. Vol.2. Junk, The Hague. Pp. 828-848.
36. Gilbert, C.R. (1978). Fishes. In: P.C.H. Pritchard (Series Ed.), Rare and endangered biota of Florida. Vol.4. University Presses of Florida. 58 pp.
37. Goncalves da Cruz, C.A. (1983). Uma nova esp cie de Cynolebias do Estado do Espiritu Santo, Brazil, (Pisces, Cyprinodontidae). Papeis Avulsos de Zoologia, Sao Paulo 35(6): 73-77.
38. Goncalves da Cruz, C.A. and Peixoto, O.L. (1976). Notas sobre Cynolebias constanciae Myers, 1942 (Osteichthyes, Cyprinodontidae, Rivulinae). Revista Brasileira de Biologia 36(2): 377-379.
39. Gorham, S.W. and McAllister, D.E. (1974). The shortnose sturgeon, Acipenser brevirostrum in the Saint John River, New Brunswick, Canada, a rare and possibly endangered species. Syllogeus 5: 1-18.
40. Gressitt, J.L. (1970). Biogeography of Laos. Pacific Insects Monography 24: 573-626.
41. Gruchy, C.G. and Parker, B. (1980). Shortnose sturgeon, Acipenser brevirostrum. In: Lee, D.S., Gilbert, C.R., Hocutt, C.H., Jenkins, R.E., McAllister, D.E. and Stauffer, J.R. (Eds), Atlas of North American Freshwater Fishes. North Carolina State Museum of Natural History. Raleigh. 85 pp.



42. Gtowacinski, Z., Bieniek, M., Dyduch, A.; Gertychowa, R.; Jakubiec, Z; Kosior, A. and Zemanek, M. (1980). Situation of all vertebrates and selected invertebrates in Poland - List of species, their occurrence endangerment and status of protection. Warszawa-Krahov. Polska Akademia Nauk.
43. Hernando, J.A. (1975). Notas sobre distribucion de los peces fluviales en el Sur-oeste de Espana. Donana, Acta Vertebrata 2(2): 263-264.
44. Hubber, J.H., Seegers, L. and Wildekamp, R.H. (1986). Liste Actualis e des Cyprinodontides. 44 pp.
45. ICONA (Ed.) (1986). Lista Roja de los Vertebrados de Espana. Publicaciones del Ministerio de Agricultura, Pesca y Alimentacion, Madrid. 400 pp. (in Spanish).
46. Ismail, M.Z. (1984). Checklist of fishes of Taman Negara. Malayan Naturalist 37(3): 21-26.
47. IUCN (1986). The IUCN Red List of Threatened Animals. IUCN Gland, Switzerland and Cambridge, UK. Pp. 39-48.
48. Joseph, J., Evans, D. and Broad, S. (1986). International Trade in Bonytongues. TRAFFIC Bulletin 7(5): 73-76.
49. Kemp, A. (1982). The embryological development of the Queensland lungfish Neoceratodus forsteri (Krefft). Memoirs of the Queensland Museum 20(3): 553-597.
50. Kiener, A. (undated). Espèces en voie de disparition ou menacées dans le Midi Méditerranéen. 7 pp.
51. Kottelat, M. (1985). Fresh-water fishes of Kampuchea. A provisory annotated check-list. Hydrobiologia 121: 249-279.
52. Kuru, M. (1980). Türkiye Tattisu Balıklari Katalogu. Türkiye Faunası 12(1): 1 (in ?Turkish).
53. Kynard, B., Buckley, J. and Gabriel, W. (1982). Shortnose sturgeon biology below Holyoke Dam. Massachussetts Cooperative Fisheries Research Unit, University of Massachussetts, Amherst. 8 pp.
54. Ladiges, V.W. (1964). Süsswasserfische der Türkei. Mitteilungen aus den Hamburgischen Zoologischen Museum und Institut 61: 203-220 (in German).
55. Lazara, K. (1981). Developments, problems and synonymy in the genus Cynolebias. Journal of the American Killifish Association 14(3): 67-72.
56. Lazara, K. (1984). (Ed.). Killifish Master Index. 3rd Edition. American Killifish Association. Pp. 295.
57. Leim, A. H. and Day, L. R. (1959). Records of uncommon and unusual fishes from eastern Canadian waters, 1950-1958. Journal of the Fisheries Research Board of Canada 16: 503-514.
58. Lelek, A. (1980). Threatened freshwater fishes of Europe. Council of Europe, Strasbourg. 269 pp.

59. Lelek, A. (1987). Threatened fishes of Europe. In: Council of Europe, The freshwater fishes of Europe. 343 pp.
60. Locket, N.A. (1980). Some advances in coelacanth biology. Proceedings of the Royal Society of London B. 208: 265-307.
61. Lojtnant, B. and Gregersen, J. (1986). Truede Planter og dyr i Danmark. (Threatend plants and animals in Denmark - a collection of red lists). Fredningsstyrelsen and Lanbrugsministeriets Vildt for Valtning. Pp. 34-35.
62. Maitland, P.S. (1985). Criteria for the selection of important sites for freshwater fish in the British Isles. Biological Conservation 31(1985): 335-353.
63. Maitland, P.S. (1986). Conservation of threatened freshwater fish in Europe. Council of Europe, Strasbourg, 18-20 November 1986. 76 pp.
64. Matsumura, S. and Milliken, T. (1984). The Japanese trade in bony tongue and CITES-listed fish. Traffic Bulletin 6(3-4): 42-50.
65. McAllister, D.E. (1971). Old fourlegs - A "living fossil". National Museums of Canada. Odyssey Series 1: 1-25.
66. McAllister, D.E., Parker, B.J. and McKee, P.M. (1985). Rare, endangered and extinct fishes in Canada. Syllogeus 54: 1-192.
67. Menhinick, E.F., Burton, T.M. and Bailey, J.R. (1974). An annotated checklist of the freshwater fishes of North Carolina. The Journal of the Elisha Mitchell Scientific Society 90(1): 24-50.
68. Michaelis, F.B. (1985). Threatened fish. A report on the threatened fish of inland waters in Australia. Australian National Parks and Wildlife Service. Report Series 3: 1-45.
69. Michaelis, F.B. (1986). Conservation of Australian aquatic fauna. In De Deckker, P. and Williams, W.D. (Eds), Limnology in Australia. CSIRO, Melbourne and W. Junk, Dordrecht. Pp. 599-613.
70. Michaelis, F.B. (1987). Protection of Australian Inland Fishes. In Harris, J.H. (Ed.), Proceedings of the Conference on Australian Threatened Fishes, Melbourne 15-16 August 1985. Australian Society for Fish Biology. Division of Fisheries, Department of Agriculture, New South Wales. Sydney. Pp. 19-24.
71. Miller, R.R. (1977). IUCN Red Data Book. Vol.4 Pisces. IUCN, Morges.
72. Murawski, S.A. and Pacheco, A.L. (1977). Biological and fisheries data on Atlantic sturgeon, Acipenser oxyrinchus (Mitchell). Technical Series Report 10: 1-68.
73. Nelson, J.S. (1984). Fishes of the World. 2nd edition. J. Wiley and Sons. New York. 523 pp.
74. Nijssen, H. and de Groot, S.J. (1987). De Vissen van Nederland. Utrecht, KNNV. Pp. 1-223 (in Dutch).

75. NOAA (National Oceanic and Atmospheric Administration) (1987). Status review of shortnose sturgeon (Acipenser brevirostrum) Le Sueur 1818). Listed under the Endangered Species Act of 1973. 31 pp. (Unpublished).
76. Pantulu, V.R. (1972). Mekong Fishery Programme - Its background and Rationale. - U.N. Economic Commission for Asia and the Far East. Bangkok, Thailand. 38 pp.
77. Pantulu, V.R. (1973). Fishery problems and opportunities in the Mekong. In: W.C. Ackermann, G.F. White and E.B. Worthington (Eds). Man-made lakes: Their problems and Environmental Effects. Geophysical Monograph Series 17: 672-682.
78. Parenti, L.R. (1981). A phylogenetic and biogeographic analysis of Cyprinodontiform fishes. Bulletin of the American Museum of Natural History 168(4): 335-557.
79. Pethon, P. (1985). Aschehougs store fiskebok. Oslo. 447 pp.
80. Poll, M. (1947). Faune de Belgique - Poissons marins. Musee Royal d'Histoire Naturelle de Belgique. Bruxelles.
81. Pookaswan, T. (1969). Pangasianodon gigas Chevey. Inland Fishery Division, Dept of Fisheries, Bangkok, Thailand 7: 1-12.
82. Ruhmer, K. (1954). Fish and other marine animals. Capture and utilization. 255 pp.
83. Scopettone, G.G., Coleman, M. and Wedemeyer, G.A. (1986). Life history and status of the endangered Cui-ui of Pyramid Lake, Nevada. Fish and Wildlife Research 1: 1-23.
84. Scott, W.B. and Crossman, E.J. (1973). Freshwater fishes of Canada. Fisheries Research Board of Canada Bulletin 184: 1-966.
85. Scott, D.B.J. and Fuller, J.D. (1976). The reproductive biology of Scleropages formosus (Muller and Schlegel) (Osteoglossomorpha, Osteoglossidae) in Malaya, and the morphology of its pituitary gland. Journal of Fish Biology 8: 45-53.
86. Shiffer, C., Walke, T. and Ulsh, S. (1985). Endangered and threatened species of Pennsylvania. 32 pp.
87. Shortnose Sturgeon Recovery Plan (1982). National Marine Fisheries Service in cooperation with the Recovery Team. 59 pp.
88. Sidthimunka, A. (1970). A report on the fisheries surveys of the Mekong River in the vicinity of the Pa Mong Dam site. Department of Fisheries, Thailand Technical Paper 8: 1-75 (quoted by Pantulu, 1972).
89. Sigler, W.F., Vigg, S. and Bres, M. (1985). Life history of the Cui-ui Chasmistes cuius Cope, in Pyramid Lake, Nevada: A review. The Great Basin Naturalist 45(4): 571-603.
90. Smith, N.J.H. (1985a). The impact of cultural and ecological change on Amazonian fisheries. Biological Conservation 32: 355-373.



91. Smith, T.I.J. (1985b). The fishery, biology, and management of Atlantic sturgeon, Acipenser oxyrhynchus, in North America. Environmental Biology of Fishes 14(1): 61-72.
92. Smith, T.I.J.; Dingley, E.K. and Marchette, D.E. (1980). Induced spawning and culture of Atlantic sturgeon. Progressive Fish-Culturist 42(3): 147-151.
93. Smith-Vaniz, W.F. (1968). Freshwater Fishes of Alabama. Auburn University Agriculture Experimental Station, Auburn, Alabama. 211 pp.
94. Spillmann, C.J. (1961). Faune de France. 65 Poissons d'eau douce. Federation Francaise des Societes de Sciences Naturelles, Paris. Pp. 23-25.
95. Suvatti, C. and Menasveta, D. (1968). Threatened species of Thailand's aquatic fauna and preservation problems. In: Talbot, L.M. and Talbot, M.H. (Eds), Conservation in tropical South east Asia. IUCN Publication. New Series 10.
96. Tardif, A. (1984). Rapport sur la situation de l'esturgeon noir au Quebec. (Acipenser oxyrhynchus). Faune et flore a proteger au Quebec. Association des Biologistes du Quebec Publication 6: 1-27.
97. Taylor, E.C. (1983). Discovering and identifying two cyprinids. Tropical Fish Hobbyist 31(10): 70-73.
98. Terofal, F. (1977). Das Artenspektrum der Fische Bayerns in den letzten 50 Jahren. Ber. ANL 1: 9-22.
99. U.S. Fish and Wildlife Service (1979). Totoaba; listing as an endangered species: Final Regulation. Federal Register 44(99): 29478-29480.
100. Vasiliu, G.D. and Sova, C. (1968). Fauna Vertebratica Romaniae (Index). Muzeul Judetean Bacau. Pp. 10-73.
101. Villamar, A. (1980). Totaba, un nuevo genero de la familia Sciaenidae en el Golfo de California, Mexico (Pisces: Teleostei). Anales de la Escuela Nacional de Ciencias Biologicas 23: 129-133.
102. Vladykov, V. D. and Greeley, J. R. (1963). Order Acipenseroidei. In: Fishes of the Western North Atlantic. Part III. Memoirs of the Sears Foundation for Marine Research 1: 24-60.
103. Wheeler, A. (1973). Leonard Jenyns's Notes on Cambridgeshire Fishes. Cambridgeshire and Isle of Ely Naturalists' Trust Annual Report 1973: 19-22.
104. Wilson, J.P.F. and Flower, R.J. (1980). A large sturgeon A. sturio from Ardglass, Co. Down. Irish Naturalists' Journal 20(1): 1-43.
105. Wood, D.A. (1983). Endangered and potentially endangered fauna and flora in Florida. Florida Game and Freshwater Fish Commission. Official lists. 11 pp.

106. Wosnitza-Mendo, C. (1984). The growth of Arapaima gigas (Cuvier) after stocking in a Peruvian lake. Archiv fur Fischerei Wissenschaft 35(1-2): 1-5.
107. Smith, T.I.J. and Dingley, E.K. (1984). Review of biology and culture of Atlantic Sturgeon (Acipenser oxyrhynchus) and Shortnose Sturgeon (A. brevirostrum). Journal of the World Mariculture Society 15: 210-218.

# FISH - INDEX

<u>Acipenser</u> .....	2
<u>Arapaima</u> .....	2
Arapaima .....	2
Arowana, Asian .....	3
Barb Fish, African Blind .....	3
Bonytongue, Asian .....	3
<u>brevirostrum</u> .....	8
<u>Caecobarbus</u> .....	3
Catfish, Giant .....	3
<u>chalumnae</u> .....	2
<u>Chasmistes</u> .....	3
Coelacanth .....	2
<u>constanciae</u> .....	3
Cui-ui .....	3
<u>cuius</u> .....	3
<u>Cynolebias</u> .....	3
( <u>Cynopoecilus</u> ).....	3
<u>Cynoscion</u> .....	4
Esturgeon Noir.....	2
( <u>fluminensis</u> ).....	4
<u>formosus</u> .....	3
<u>forsteri</u> .....	2
<u>geertsi</u> .....	3
<u>gigas</u> .....	2,3
Gombessa.....	2
Ikan Temoleh.....	3
<u>jullieni</u> .....	3
<u>Latimeria</u> .....	2
Lungfish, Australian.....	2
Lungfish, Queensland .....	2
<u>macdonaldi</u> .....	4
<u>marmoratus</u> .....	3
<u>minimus</u> .....	4
<u>Neoceratodus</u> .....	2
<u>opalescens</u> .....	4
<u>oxyrhynchus</u> .....	2
<u>Pangasianodon</u> .....	3
Pearlfish.....	3
Pearlfish, Ginger.....	3
Pearlfish, Minute .....	4
Pearlfish, Opalescent.....	4
Pearlfish, Splendid.....	4
Pirarucu.....	2
Pla Buk.....	3
Pla Eesok.....	3
( <u>porosus</u> ).....	3
<u>Probarbus</u> .....	3
( <u>sandrii</u> ).....	4
<u>Scleropages</u> .....	3
( <u>sicheleri</u> ).....	3
<u>splendens</u> .....	4
Sturgeon, Atlantic.....	2
Sturgeon, Common.....	2
Sturgeon, Shortnose.....	2
<u>sturio</u> .....	2
( <u>Totoaba</u> ).....	4
( <u>whitei</u> ).....	4
( <u>zingiberinus</u> ).....	3

# INVERTEBRATES - TAXONOMIC LIST

Page

## ARTHROPODA

### INSECTA

#### LEPIDOPTERA

##### Papilionidae

<u>Bhutanitis</u> .....	16
<u>Ornithoptera</u> .....	16
<u>Papilio</u> .....	19
<u>Parnassius</u> .....	19
<u>Teinopalpus</u> .....	20
<u>Trogonoptera</u> .....	20
<u>Troides</u> .....	20

## ARACHNIDA

### ARANEAE

#### Theraphosidae

<u>Brachypelma</u> .....	22
--------------------------	----

## ANNELIDA

### HIRUDINEA

#### ARHYNCHOBDELLAE

##### Hirudinidae

<u>Hirudo</u> .....	23
---------------------	----

## MOLLUSCA

### BIVALVIA

#### VENEROIDA

##### Tridacnidae

<u>Hippopus</u> .....	23
<u>Tridacna</u> .....	24

## UNIONOIDA

### Unionidae

<u>Conradilla</u> .....	26
<u>Cyprogenia</u> .....	26
<u>Dromus</u> .....	26
<u>Epioblasma</u> .....	26
<u>Fusconaia</u> .....	27
<u>Lampsilis</u> .....	27
<u>Lexingtonia</u> .....	28
<u>Plethobasus</u> .....	28
<u>Pleurobema</u> .....	28
<u>Potamilus</u> .....	28
<u>Quadrula</u> .....	28
<u>Toxolasma</u> .....	28
<u>Unio</u> .....	28
<u>Villosa</u> .....	29

## GASTROPODA

### STYLOMMATOPHORA

#### Achatinellidae

<u>Achatinella</u> .....	29
--------------------------	----

#### Camaenidae

<u>Papustyla</u> .....	32
------------------------	----

#### Paryphantidae

<u>Paryphanta</u> .....	32
-------------------------	----



	Page
CNIDARIA	
ANTHOZOA	
ANTIPATHARIA.....	33
SCLERACTINIA	
Pocilloporidae	<u>Pocillopora</u> .....34
	<u>Seriatopora</u> .....35
	<u>Stylophora</u> .....36
Acroporidae	<u>Acropora</u> .....36
Agariciidae	<u>Pavona</u> .....37
Fungiidae	<u>Fungia</u> .....38
	<u>Halomitra</u> .....38
	<u>Polyphyllia</u> .....38
Faviidae	<u>Favia</u> .....40
	<u>Platygyra</u> .....40
Merulinidae	<u>Merulina</u> .....41
Mussidae	<u>Lobophyllia</u> .....41
Pectiniidae	<u>Pectinia</u> .....42
Caryophylliidae	<u>Euphyllia</u> .....42
HYDROZOA	
ATHECATA	
Milleporidae	<u>Millepora</u> .....43
ALCYONARIA	
CORNOTHECALIA	
Helioporidae	<u>Heliopora</u> .....44
STOLONIFERA	
Tubiporidae	<u>Tubipora</u> .....44

	CITES	RDB	Exp	Ref	Notes
Phylum ARTHROPODA					
Class INSECTA					
Order LEPIDOPTERA					
Family Papilionidae					
<u>Bhutanitis lidderdalii</u>	II	-	Pr	19,49,	
Bhutan Glory				81,114,	
Bhutan, Burma, China (Sichuan				173	
and Yunnan), India [211,353]					
Thailand					
<u>Bhutanitis ludlowi</u>	II	k	-	2,81,124	
Ludlow's Bhutan Swallowtail					
Bhutan (Trashiyangsi Valley)					
<u>Bhutanitis mansfieldi</u>	II	R	-	2,81,	
Mansfield's three-tailed Swallowtail				245,303	
China (Sichuan and Yunnan)					
<u>Bhutanitis thaidina</u>	II	R	Pr	2,49,81	
Chinese Three-tailed Swallowtail					
China [261]					
<u>Ornithoptera aesacus</u>	II	Id	Pr	22,81,	
(=O. obiana, O. obiensis,				157	
O. arruana obiana)					
Indonesia (Obi)					
<u>Ornithoptera akakeae</u>	II	-	Pr	81,90,	
(believed to be a natural				157,192	
hybrid between O. priamus					
poseidon and O. rothschildi)					
Indonesia (Arkak Mountains,					
Irian Jaya)					
<u>Ornithoptera alexandrae</u>	I	E	Pr	22,81,	
(=Aetheoptera alexandrae)				89,157,	
Queen Alexandra's Birdwing				233,255	
PNG (Popondetta, Northern					
Province)					
<u>Ornithoptera allottei</u>	II	-	Pr	81,90	
(=Aetheoptera allottei)					
(believed to be a hybrid between					
O. priamus urvillianus and					
O. victoriae)					
Abbe Allotte's Birdwing					
Solomon Is (Malaita) [279], PNG					
(Bougainville)					
<u>Ornithoptera caelestis</u>	II	-	Pr,	22,81,	
(=O. priamus caelestis)			LA	90,151,	
PNG (Louisiade Arch.)				157,173	
<u>Ornithoptera chimaera</u>	II	Id	Pr	22,81,	
(=Schoenbergia chimaera)				157,233,	
(subspecies: charybdis, chimaera,				254,255	
flavidior)					
Chimaera Birdwing					
Indonesia (Irian Jaya), PNG					

	CITES	RDB	Exp	Ref	Notes
<u>Ornithoptera croesus</u> (= <u>Priamuspterus croesus</u> , <u>Priamoptera croesus</u> ) (subspecies: <u>croesus</u> , <u>lydius</u> ) Indonesia (Moluccas)	II	V	Pr	22,81, 90,157, 357	
✓ <u>Ornithoptera euphorion</u> (= <u>O. priamus euphorion</u> ) Cairns Birdwing Australia (Queensland)	II	-	Pr	22,81, 90,151, 157	
<u>Ornithoptera gebeensis</u> Indonesia (Gebe I.)	II	-	-	253	
✓ <u>Ornithoptera goliath</u> (= <u>Schoenbergia goliath</u> ) (subspecies: <u>atlas</u> , <u>goliath</u> , <u>procus</u> , <u>sampson</u> , <u>supremus</u> ) Goliath Birdwing Indonesia (Irian Jaya, Moluccas) PNG	II	-	Pr	22,81, 90,157, 233,254	
✓ <u>Ornithoptera meridionalis</u> (= <u>Schoenbergia meridionalis</u> ) (subspecies: <u>meridionalis</u> , <u>tarunggarensis</u> ) Indonesia (Irian Jaya), PNG	II	V	Pr	22,81, 97,150, 157,233, 254,258	
✓ <u>Ornithoptera paradisea</u> (= <u>O. (Schoenbergia) schoenbergi</u> ) (subspecies: <u>arfakensis</u> , <u>borchi</u> , <u>chrysanthemum</u> , <u>flavescens</u> , <u>paradisea</u> ) Paradise Birdwing, Tailed Birdwing, Butterfly of Paradise Indonesia (Irian Jaya), PNG	II	Id	Pr	22,81, 90,157, 233,254, 255	
✓ <u>Ornithoptera priamus</u> (See Table 1) Priam's Birdwing, Common Birdwing, Common Green Birdwing, New Guinea Birdwing <del>Australia (Queensland)</del> , Indonesia, PNG, Solomon Is [279,280]	II	-	Pr, (LA)	22,80,81, 151,157, 173,278	
✓ <u>Ornithoptera richmondia</u> (= <u>O. priamus richmondia</u> ) Richmond Birdwing Australia (N.S.W., Queensland)	II	-	Pr	22,81, 83,151, 157	
✓ <u>Ornithoptera rothschildi</u> (= <u>Schoenbergia rothschildi</u> ) Rothschild's Birdwing Indonesia (Arfak Mountains, Irian Jaya)	II	Id	Pr	22,81, 157,192, 254,257	

Table 1: The systematics of the Ornithoptera priamus subspecies (N.M. Collins, unpublished data).

	Authors			Distribution	IUCN Threat Category
	Haugum	D'Abrera	Hancock		
	& Low (1978)	(1975)	(1983)		
1. <u>admiralitatis</u>	*	*	*	Papua New Guinea (Admiralty Is.)	nt
2. <u>arruana</u>	*	*	*	Indonesia (Aru, off Halmahera)	R?
3. <u>boisduvali</u>	*	*	*	Papua New Guinea (Woodlark Is.)	R
4. <u>bornemanni</u>	*	*	*	Papua New Guinea (New Britain)	nt
5. <u>caelestis</u>	*	+	*	Papua New Guinea (Louisiades)	nt
6. <u>euphorion</u>	*	*	+	Australia (N. Queensland)	I
7. <u>gebeensis</u>	0	0	0	Indonesia (Gebe Island)	K
8. <u>hecuba</u>	*	*	*	Indonesia (Kai, Walim, Laut)	R?
9. <u>miokensis</u>	*	*	*	Papua New Guinea (Duke of York Is.)	E
10. <u>poseidon</u>	*	*	*	Papua New Guinea and Irian Jaya (Waigeo main- land and adjacent islands), Australia (Cape York)	nt
11. <u>priamus</u>	*	*	*	Indonesia (Ceram, Ambon)	nt
12. <u>richmondia</u>	*	+	+	Australia (Queensland, New South Wales)	I
13. <u>urvillianus</u>	*	+	*	Papua New Guinea (New Hanover, New Ireland), Solomon Is.	nt

\* = recognized by author(s) as a subspecies of O. priamus

+ = recognized by author as a full species

0 = unknown to these authors; described by Parrott (1985)

Various forms of O. p. poseidon are occasionally cited or sold as separate subspecies. These include:

archideus from Indonesia (Waigeo)

cronius from SW coast of Irian Jaya, Indonesia

demophanes from PNG (Fergusson, Trobriands)

pronomus or macalpinei from The Iron Range, Cape York,  
Australia

teucus from Indonesia (Biak and Schouten)



	CITES	RDB	Exp	Ref	Notes
✓ <u>Ornithoptera tithonus</u> (= <u>Schoenbergia tithonus</u> ) (subspecies: <u>misoolana</u> , <u>misresiana</u> , <u>tithonus</u> , <u>waigeuensis</u> ) Indonesia (Irian Jaya)	II	-	Pr	22,81, 106,157 254	
<del>✗</del> <u>Ornithoptera urvillianus</u> (= <u>O. priamus urvillianus</u> , <u>O. p. burkei</u> ) D'Urville's Birdwing PNG (Bismarcks, Bougainville), Solomon Is [210,280]	II	-	Pr	22,57, 81,151, 157	
(N.B. This taxon is generally considered to be a subspecies of <u>O. priamus</u> ).					
<u>Ornithoptera victoriae</u> (= <u>Aetheoptera victoriae</u> ) (subspecies: <u>epiphanes</u> , <u>isabellae</u> , <u>reginae</u> , <u>regis</u> , <u>rubianus</u> , <u>victoriae</u> ) Queen Victoria's Birdwing PNG (Bougainville), Solomon Is [210,279,280]	II	-	Pr	22,57, 81,90, 157,233, Deleted - 30/10/2015	
✓ <u>Papilio chikae</u> Luzon Peacock Swallowtail Philippines (Luzon)	II	E	Pr	81,92, 152,172, 190,357,	
✓ <u>Papilio homerus</u> Homerus Swallowtail Jamaica	II	E	Pr	46,81, 91,285, 358,395	
<u>Papilio hospiton</u> Corsican Swallowtail ✓ France (Corsica) [43]✓ ✓ Italy (Sardinia) [304]✓	II	E	Pr	81,82, 119,160, 166	
23/2 <u>Parnassius apollo</u> Apollo Albania, Andorra, Austria [129], Bulgaria, China (Xinjiang Uygur), Czechoslovakia [59], Federal Republic of Germany [10,32, 197], Finland [228,351], France [28], German Democratic Republic (ex), Greece, Hungary, Italy [39], Iraq, Iran, Lichtenstein [31], Mongolia, Netherlands?, Norway, Poland [93,94,95,250,251], Romania [281], Spain [130], Sweden [181], Switzerland [55,56], Syria, Turkey USSR [20], Yugoslavia	II	R	Pr, (T)	81,102, 122,123, 160,161 Deleted - FRG - (87,220,221) Poland - (87,220,221)	

	CITES	RDB	Exp	Ref	Notes
<u>Teinopalpus aureus</u> Golden Kaiser-I-Hind China (Guangdong) [225], Vietnam?	II	k	-	81,92, 151	
<u>Teinopalpus imperialis</u> (subspecies: <u>imperatrix</u> , <u>imperialis</u> ) Kaiser-I-Hind, Kaiserihind Bhutan, Burma, China (Hubei and Sichuan) [225], India [353], Nepal [329,330]	II	R	Pr	81,92, 114,173, 244	
<u>Trogonoptera brookiana</u> (=Ornithoptera brookiana, <u>Troides brookiana</u> ) (subspecies: <u>albescens</u> , <u>brookiana</u> , <u>natunensis</u> , <u>trogon</u> ) Rajah Brooke's Birdwing Brunei, Indonesia, Malaysia	II	-	Pr, (LA), T	22,80, 81,90, 92,207, 357	
<u>Trogonoptera trojana</u> (=Troides trojana) Philippines (Palawan, Balabac)	II	-	Pr	22,81, 90,92, 357	
<u>Troides aeacus</u> (subspecies: <u>aeacus</u> , <u>kaguya</u> , <u>thomsoni</u> ) Golden Birdwing, Small Birdwing Bangladesh?, Bhutan, Burma, China (Sichuan) [261], India [114], Indonesia (Sumatra), Kampuchea, Laos?, Malaysia (Pen. Malaysia) [84], Nepal [329,330], Thailand [200], Vietnam [331]	II	✓	Pr, LA	22,80/ 81,90, 92,158, 160	
<u>Troides aeacus kaguya</u> Taiwan [326]	II	✓	E		
<u>Troides amphrysus</u> (subspecies: <u>amphrysus</u> , <u>flavicollis</u> , <u>niasicus</u> , <u>ruficollis</u> , <u>vistara</u> ) Golden Birdwing, Malay Birdwing Brunei, Burma (Mergui Arch.), Indonesia, Malaysia [84,291], Singapore, Thailand [200]	II	✓	Pr	22,81, 90,92, 160,357	
<u>Troides andromache</u> (subspecies: <u>andromache</u> , <u>marapokensis</u> , the latter now regarded as a female form of <u>andromache</u> ) Malaysia (Sabah, Sarawak) [291], Indonesia? (Kalimantan)	II	✓	Id Pr	22,81, 90,92, 357	

	CITES	RDB	Exp	Ref	Notes
✓ <u>Troides criton</u> (subspecies: <u>celebensis</u> , <u>criton</u> ; the former now considered to be unrelated to <u>T. criton</u> ) Indonesia (Moluccas)	II	-	Pr	22,81, 89,90	
<u>Troides cuneifer</u> (subspecies: <u>cuneifer</u> , <u>peninsulae</u> , <u>sumatranus</u> ) Golden Birdwing Indonesia (Java, Sumatra), Malaysia (Pen. Malaysia), Thailand	II	-	Pr	22,81, 92,357	
✓ <u>Troides darsius</u> (= <u>T. helena darsius</u> ) Sri Lanka	II	-	Pr	22,81, 90,92, 114,400	
✓ <u>Troides doherthyi</u> (= <u>T. rhadamantus doherthyi</u> , <u>T. vordermanni</u> ) Talaud Black Birdwing Indonesia (Talaud Is)	II	Id	Pr	22,81, 151,157, 326,357	
✓ <u>Troides haliphron</u> (subspecies: <u>ariadne</u> , <u>ikarus</u> , <u>iris</u> , <u>haliphron</u> , <u>naias</u> , <u>pallens</u> , <u>pistor</u> , <u>socrates</u> , <u>staudingeri</u> ) Indonesia (Sulawesi and southern islands)	II	-	Pr	22,81, 90,92, 173,357	
<u>Troides helena</u> (subspecies: <u>antileuca</u> , <u>cerberus</u> , <u>ferrari</u> , <u>helena</u> , <u>heliconoides</u> , <u>hephaestus</u> , <u>isara</u> , <u>maurus</u> , <u>mopa</u> , <u>moschylus</u> , <u>neoris</u> , <u>nereides</u> , <u>nereis</u> , <u>propinquus</u> , <u>sagittatus</u> , <u>spilotia</u> , <u>typhaon</u> ) Common Birdwing, Black and Gold Birdwing Bangladesh, Bhutan?, Brunei, Burma, China (Hainan), Hong Kong [188], India [16], Indonesia, Kampuchea?, Laos, Malaysia [84], Nepal [329,330], Singapore, Thailand [200], Vietnam	II	-	Pr, LA	22,80, 81,90, 92,114, 158,171, 357	
✓ <u>Troides hypolitus</u> (= <u>Ripponia hypolitus</u> ) (subspecies: <u>antiope</u> , <u>cellularis</u> , <u>hypolitus</u> , <u>sulaensis</u> ) Indonesia (Sulawesi, Moluccas)	II	-	Pr	81,89, 92,333, 357	Laos - 80, 22 Malaysia - 80, 22 Nepal - 80, 22 Sri Lanka - 80, 22 Thailand - 80, 22 Vietnam - 80, 22
✓ <u>Troides magellanus</u> (= <u>T. sonani</u> ) (subspecies: <u>apoensis</u> , <u>magellanus</u> , <u>sonani</u> ) ✓ Philippines, Taiwan (Lan Y I.) [326]	II	-	Pr, LA	22,80, 81,90, 92,189, 357	

	CITES	RDB	Exp	Ref	Notes
<u>Troides minos</u> , (= <u>T. helena minos</u> , <u>T. nomis</u> , <u>T. pompeus</u> ) India	II	-	Pr	22,81, 90,92	
<u>Troides miranda</u> (subspecies: <u>miranda</u> , <u>neomiranda</u> ) Brunei, Indonesia (Kalimantan, Sumatra), Malaysia (Sabah, Sarawak) [291]	II	-	Pr	22,81, 90,92, 171,357	
<u>Troides oblongomaculatus</u> (= <u>T. helena oblongomaculatus</u> ) (subspecies: <u>bandensis</u> , <u>bouruensis</u> , <u>hanno</u> , <u>oblongomaculatus</u> , <u>papuensis</u> , <u>thestius</u> ) Indonesia, PNG [278]	II	-	Pr, (LA)	22,27, 80,81, 89,90, 92,357	Deleted -27
<u>Troides plateni</u> (= <u>T. rhadamantus plateni</u> ) Philippines (Palawan)	II	-	Pr	22,81,90, 92,151, 157,357	
<u>Troides plato</u> (= <u>T. haliphron plato</u> ) Indonesia (Timor)	II	-	-	22,81, 89,90, 157,357	
<u>Troides prattorum</u> Indonesia (Buru)	II	Id	Pr	22,81, 89,90	
<u>Troides rhadamantus</u> (= <u>T. bazilanicus</u> , <u>T. belzanor</u> ) Philippines	II	-	Pr, LA	22,80, 81,90, 92,357	
<u>Troides riedeli</u> Indonesia (Tanimbar Is)	II	-	Pr	22,81, 89,90, 357	
<u>Troides staudingeri</u> (= <u>T. haliphron staudingeri</u> ) Indonesia (Lesser Sunda Is)	II	-	-	81,90, 151,157	
<u>Troides vandepolli</u> (subspecies: <u>honrathiana</u> , <u>vandepolli</u> ) Indonesia (Java, Sumatra)	II	-	Pr	22,81, 90,92, 357	
Class ARACHNIDA ORDER ARANEAE Family Theraphosidae <u>Brachypelma smithi</u> Mexican Red-kneed Tarantula Mexico	II	K	LA	395	



	CITES	RDB	Exp	Ref	Notes
--	-------	-----	-----	-----	-------

Phylum ANNELIDA

Class HIRUDINEA

Order ARHYNCHOBDELLAE

(=ARHYNCHOBDELLIDA)

Family Hirudinidae

Hirudo medicinalis

Medicinal Leech

II	Id	LA, Der	15,82,111, 201,313, 314,315, 316,317, 393,395, 396,397
----	----	---------	---

Albania, Austria, Belgium  
[212], Bulgaria [300,301],  
Czechoslovakia [196], Denmark  
[18,26,183], Finland,  
France [104], German Democratic  
Republic, [163], Greece [347],  
Hungary [191,204], Iceland  
(ex?) [203], Ireland (ex)  
[217], Italy [230,231],  
Luxembourg [168,169,170],  
Netherlands [109], Norway  
[240,359], Poland [182],  
Portugal, Romania [86], Spain  
[184], Sweden [120],  
Switzerland, Turkey, UK  
[110,112,320], USSR  
[208,209,327,404], Yugoslavia  
[334]

Phylum MOLLUSCA

Class BIVALVIA

Order VENEROIDA

Family Tridacnidae

Hippopus hippopus

(=Hippopus maculatus)

Bear Paw Clam, Horse's Hoof Clam  
Strawberry Clam

II	Id	F, S, BM?	41,42, 236,237, 260,262, 295
----	----	-----------	---------------------------------------

American Samoa (ex?), Australia  
(Queensland, Western), Burma,  
Federated States of Micronesia  
(USA), Fiji (ex?), Guam (ex?),  
India (Andaman and Nicobar Is)  
[283], Indonesia (Borneo,  
Sulawesi), Japan (Bonin Is,  
Ryukyu Is) (ex?), Kiribati  
(Gilbert Is) [236], Malaysia,  
Marshall Is (USA), New  
Caledonia [167], Northern  
Marianas (ex?), Palau (USA)  
[48,164], Philippines [7], PNG,  
Singapore, Solomon Is,  
Taiwan (ex?), Thailand?, Tonga  
(ex?) [218], Tuvalu, Vanuatu,  
Western Samoa (ex?)

Hippopus porcelanus

China Clam

Indonesia, Palau, Philippines  
(Sulu Arch., Masbate I) [7,296]

II	Id	F, S	14,236, 262
----	----	------	----------------

	CITES	RDB	Exp	Ref	Notes
<u>Tridacna crocea</u>	II	K	F, S	41,47, 167,235, 237,262, 295,372, 395	
Crocus, Saffron-coloured Clam, Boring Clam Australia [121,149,260], Borneo, Caroline Is (USA), Guam (USA) (ex?), Indonesia, Japan (Ryukyu Is), Malaysia, Northern Mariana Is (USA) (ex?), Palau (USA) [153], PNG [386], Philippines [7], Singapore, Solomon Is, Thailand, Tuvalu?, Vanuatu?, Vietnam					
<u>Tridacna derasa</u>	II	V	F, T?, S	1,14,41, 42,47, 134,165, 205,234, 235,237, 262,295, 372,394, 395,401	
Southern Giant Clam [American Samoa], Australia (Queensland) [121,260], Cocos-Keeling Is? (Australia), [Cook Is], [Federated States of Micronesia (USA)], Fiji, Tuamotu Arch. - French Polynesia (France)?, Guam (USA) (ex?), Indonesia (Irian Jaya) [307], [Marshall Is (USA)], New Caledonia (France), Northern Mariana Is (USA) (ex?), Palau (USA) [48,153,164], PNG [386], Philippines [7], Solomon Is, Tonga (Tongatapu) [218], Tuvalu?, Vanuatu?					
<u>Tridacna gigas</u>	II	V	F, (T), S	41,42, 47,85, 167,234, 235,237, 262,371, 372,395	
Giant Clam Australia (Queensland, Western) [260], Burma, Fiji (ex?), [Guam] (USA) (ex?), [Hawaii (USA)], Indonesia (Java, Sulawesi) [307], Japan (Ryukyu Is) (ex?), Kiribati (Gilbert Is) [236], Lamotrek Atoll and West Fagu - Federated States of Micronesia (USA), Malaysia, Marshall Is (USA), New Caledonia (France) (ex?), Northern Mariana Is (USA) (ex?), Palau (USA) [48,153,164], PNG [386], Philippines [7], Solomon Is, Taiwan (ex?), Thailand, Tuvalu?, [USA], Vanuatu (ex?)					

	CITES	RDB	Exp	Ref	Notes
<u>Tridacna maxima</u>	II	K	F,	41,47,	
Small Giant Clam			S,	236,237,	
American Samoa (USA),			T	295,372,	
Australia [121,220,260],				395	
Borneo, Burma, Chagos Arch.					
(UK), China, Cook Is., Egypt,					
Federated States of Micronesia					
(USA), Fiji, French Polynesia					
(France) [311], Guam (USA),					
Henderson I. - Pitcairn Is					
(UK), India (Andaman, Nicobar					
and Laccadives Is) [283],					
Indonesia, Japan, Kenya,					
Kiribati (Gilbert, Phoenix and					
Line Is) [236], Lord Howe I.					
(Australia), Madagascar,					
Malaysia, Maldives,					
Marshall Is (USA) [185],					
Mauritius, Mozambique, New					
Caledonia (France), Northern					
Mariana Is (USA), Palau (USA)					
[48,153], PNG [386],					
Philippines [7], Saudi Arabia					
[33], Seychelles, Singapore,					
Solomon Is, South Africa, Sri					
Lanka, Taiwan, Thailand,					
Tokelau (New Zealand), Tonga					
[218], Tuvalu, Vanuatu,					
Vietnam, Wake Is (USA),					
Western Samoa					
<u>Tridacna squamosa</u>	II	Id	F,	41,47,	
Scaly Clam, Fluted Clam,			S,	167,234	
Boring Clam, Frilly Clam,			T,	235,237	
American Samoa (USA),				307,372,	
Australia [121,260], Borneo,				395	
Burma, Chagos Arch. (UK),					
Egypt, Federated States of					
Micronesia (USA), Fiji,					
Tuamotu Arch. - French					
Polynesia (France), [Guam]					
(USA) (ex?), [Hawaii (USA)],					
India (Andaman, Nicobar and					
Laccadives Is) [283],					
Indonesia, Japan (ex?), Kenya,					
Kiribati (Gilbert Is) [236],					
Madagascar, Malaysia,					
Maldives, Marshall Is (USA),					
Mauritius, Mozambique, New					
Caledonia (France), Northern					
Mariana Is (USA) (ex?), Palau					
(USA) [153,164], PNG [386],					
Philippines [7], Saudi Arabia					
[33], Seychelles, Singapore,					
Solomon Is, South Africa, Sri					
Lanka, Thailand, Tokelau (New					
Zealand), Tonga [218], Tuvalu,					
[USA], Vanuatu, Vietnam,					
Western Samoa					

	CITES	RDB	Exp	Ref	Notes
Order UNIONOIDA					
Family Unionidae					
<u>Conradilla caelata</u>	I	✓ E	F	8,13,	
(= <u>Lemiox rimosa</u> )			23,199,		
Birdwing Pearly Mussel				238,288	
USA				336,341,	
<u>Cyprogenia aberti</u>	II	✓ E	-	54,187,	
Edible Pearly Mussel,				338,339	
Western Fan Shell Pearly Mussel					
USA ✓					
<u>Dromus dromas</u>	I	✓ E	-	8,13,23,	
(= <u>D. d. caperatus</u> )				175,187,	
Dromedary Pearly Mussel				199,238,	
USA ✓				288,336,	
				341,342	
<u>Epioblasma curtisi</u>	I	✓ I	F,	8,50,51,	
(= <u>Dysnomia curtisi</u> ,			S	75,186,	
<u>Plagiola curtisi</u> )				199,221,	
Curtis Pearly Mussel				242,288,	
Curtis' Riffle Shell				339,342,	
USA (Missouri) ✓				368,395	
<u>Epioblasma florentina</u>	I	✓ E	F,	8,75,	
(= <u>Dysnomia florentina</u> ,			S	105,186,	
<u>Plagiola florentina</u> )				187,199,	
Yellow-blossom Pearly Mussel				288,336,	
Yellow Riffle Shell				338,342,	
USA ✓				395	
<u>Epioblasma sampsoni</u>	✓ I	✓ E	F,	8,75,	
(= <u>Dysnomia sampsoni</u> ,			S	186,199,	
<u>Plagiola sampsoni</u> )				288,338,	
Sampson's Pearly Mussel				339,343,	
Sampson's Riffle Shell				368,370,	
USA (ex?) ✓				395	
<u>Epioblasma sulcata perobliqua</u>	✓ I	✓ E	F,	8,9,75,	
(= <u>Dysnomia sulcata perobliqua</u> ,			S	176,186,	
<u>Epioblasma sulcata delicata</u> ,				199,288,	
<u>Plagiola sulcata perobliqua</u> )				339,368,	
White Catpaw Mussel				374,395	
USA ✓					
<u>Epioblasma torulosa gubernaculum</u>	✓ I	✓ E	F,	8,13,35,	
(= <u>Dysnomia torulosa gubernaculum</u> ,			S	75,105,	
<u>Plagiola torulosa gubernaculum</u> ,				186,199,	
<u>Truncilla torulosa gubernaculum</u> )				238,288,	
Green-blossom Pearly Mussel				339,341,	
Green Riffle Shell				354,368,	
USA (Tennessee, Virginia) ✓				395	
<u>Epioblasma torulosa rangiana</u>	✓ II	✓ E	F,	75,186,	
(= <u>Dysnomia torulosa rangiana</u> ,			S	199,288,	
<u>Plagiola torulosa rangiana</u> )				335,338,	
Tan-blossom Pearly Mussel				342,343,	
Canada [73,74], USA [9,339]				350,395	



	CITES	RDB	Exp	Ref	Notes
<u>Epioblasma torulosa torulosa</u> (= <u>Dysnomia torulosa torulosa</u> , <u>Plagiola torulosa torulosa</u> ) Tubercled-blossom Pearly Mussel Northern Riffle Shell Turberculled Riffle Shell Canada [74], USA	I	E	F, S	8,54,75, 186,187, 199,288, 338,339, 340,342, 346,368, 395	
<u>Epioblasma turgidula</u> (= <u>Dysnomia turgidula</u> , <u>Plagiola turgidula</u> ) Turgid-blossom Pearly Mussel Turgid Riffle Shell USA (ex?)	I	E	F, S	8,34,35, 75,174, 186,187 199,242, 288,336, 338,341, 342,368, 395	
<u>Epioblasma walkeri</u> (= <u>Dysnomia walkeri</u> , <u>Plagiola walkeri</u> , <u>Truncilla walkeri</u> ) Tan Riffle Shell Mussel, Brown-blossom Pearly Mussel USA	I	E	F, S	11,13,75, 105,186, 199,238, 288,341, 345,346, 354,369	
<u>Fusconaia cuneolus</u> Fine-rayed Pigtoe Pearly Mussel USA	I	E	F	8,13, 175,187, 199,238, 288,336, 341,342, 354	
<u>Fusconaia edgariana</u> (= <u>F. cor</u> , <u>F. c. analoga</u> ) Shiny Pigtoe Pearly Mussel USA	I	E	F	8,13,23, 175,187 199,238, 288,336, 341	
<u>Fusconaia subrotunda</u> Long Solid Mussel USA	II	-	F	175,199, 238,288, 336,340, 341	
<u>Lampsilis brevicula</u> (= <u>Villosa reeviana</u> ) Ozark Lamp Pearly Mussel USA	II	-	F	187,199, 288	
<u>Lampsilis higginsii</u> Higgins' Eye Pearly Mussel USA (Iowa, Minnesota)	I	E	F, S, P	8,159, 174,187, 199,288, 367	
<u>Lampsilis orbiculata orbiculata</u> (= <u>Lampsilis abrupta</u> ) Pink Mucket Pearly Mussel USA	I	E	F	8,187, 199,263, 288,340, 342	
<u>Lampsilis satura</u> Plain Pocketbook Pearly Mussel USA	I	-	F	199,288	

	CITES	RDB	Exp	Ref	Notes
<u>Lampsilis virescens</u> Alabama Lamp Pearly Mussel USA ✓	I	E	F	8,187, 199,288 336,342	
<u>Lexingtonia dolabelloides</u> (=L. d. conradi) Slab-sided Pearly Mussel USA	II	Id	F	175,187, 199,238, 288,336, 341,342	
<u>Plethobasus cicatricosus</u> White Warty-back Pearly Mussel USA	I	E	F	8,199, 288,336, 340,342	
<u>Plethobasus cooperianus</u> Orange-footed Pimpleback Mussel Cumberland Pigtoe Pearly Mussel USA ✓	I	E	F	8,199, 288,336, 340,342	
<u>Pleurobema clava</u> Club Pearly Mussel, Northern Club Shell USA ✓	I	Id	F	187,199, 288,336, 340,342, 374	
<u>Pleurobema plenum</u> Rough Pigtoe Pearly Mussel USA ✓	I	E	F	8,13, 199,238, 288,340, 341,342	
<u>Potamilus capax</u> Fat Pocketbook Pearly Mussel USA ✓	I	E	-	8,159, 199,288	
<u>Quadrula intermedia</u> Cumberland Monkey-face Pearly Mussel ✓ USA	I	E	-	8,13, 187,199, 238,288, 336,342, 354	
<u>Quadrula sparsa</u> Appalachian Monkey-face Pearly Mussel USA ✓	I	E	F	8,13, 199,238, 288,344	
<u>Toxolasma cylindrella</u> Pale Lilliput Pearly Mussel USA	I	E	F	8,199, 288	
<u>Unio nickliniana</u> (=Megaloniaias nickliniana) Nicklin's Pearly Mussel USA	I	E	F	8,187, 199,288	
<u>Unio tampicoensis tecomatensis</u> (=Cyrtonaias tampicoensis tecomatensis) Tampico Pearly Mussel USA	I	-	F	8,187, 199,288	

	CITES	RDB	Exp	Ref	Notes
<u>Villosa trabalis</u> (= <u>Eurymia trabalis</u> , <u>Micromya</u> <u>trabalis</u> ) Cumberland Bean Pearly Mussel USA	I	E	F	8,187, 199,238, 288,336, 337,341	
Class GASTROPODA					
Order STYLOMMATOPHORA					
Family Achatinellidae					
<u>Achatinella abbreviata</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?)	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella apexfulva</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	I	E	S	62,125, 145,155, 156,272, 366,389, 395	
<u>Achatinella bellula</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella buddii</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?)	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella bulimoides</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella byronii</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella caesia</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella casta</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella cestus</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	I	E	S	62,125, 145,155, 156,272, 366,388, 395	
<u>Achatinella concavospira</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	I	E	S	62,125, 145,146, 155,156, 272,366, 395	

	CITES	RDB	Exp	Ref	Notes
<u>Achatinella curta</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella decipiens</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella decora</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella dimorpha</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella elegans</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella fulgens</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella fuscobasis</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella juddii</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella juncea</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella lehuiensis</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella leucorraphe</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 272,366 395	
<u>Achatinella lila</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 321,366, 395	



	CITES	RDB	Exp	Ref	Notes
<u>Achatinella livida</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella lorata</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 272,366, 395	
<u>Achatinella mustelina</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 144,145, 146,155, 156,272, 366,388, 395	
<u>Achatinella papyracea</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella phaeozona</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella pulcherrima</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella pupukanioe</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella rosea</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395,	
<u>Achatinella sowerbyana</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella spaldingi</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella stewartii</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella swiftii</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	<del>I</del>	E	S	62,125, 145,155, 156,272, 366,395	

	CITES	RDB	Exp	Ref	Notes
<u>Achatinella taeniolata</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella thaanumi</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella turgida</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella valida</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella viridans</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella vittata</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	I	E	S	62,125, 145,155, 156,272, 366,395	
<u>Achatinella vulpina</u> Little Agate Shell, Oahu Tree Snail Oahu - Hawaii (USA) (ex?) ✓	I	E	S	62,125, 144,145, 155,156, 272,366, 395	
Family Camaenidae <u>Papustyla pulcherrima</u> (=Papuina pulcherrima) Manus Green Tree Snail PNG (Manus, Admiralty Is) ✓	II	R	(T), S	76,154, 273,395	
Family Paryphantidae (=Rhytididae) <u>Paryphanta annectens</u> (=Powelliphanta annectens) New Zealand (North Westland) ✓	II	-	S	24,224, 276,332, 383	
<u>Paryphanta busbyi</u> Kauri Snail, Pupurangi New Zealand (Northland) ✓	II	V	S	24,25, 243,276	
<u>Paryphanta fiordlandica</u> (=Powelliphanta fiordlandica) New Zealand (South-west Fiordland) ✓	II	-	S	24,77, 79,224, 276,332	
<u>Paryphanta gilliesi</u> (=Powelliphanta gilliesi) (including P. compta) New Zealand (North-west Nelson) ✓	II	V	S	24,77, 79,224, 275,276, 332	

	CITES	RDB	Exp	Ref	Notes
<u>Paryphanta hochstetteri</u> (= <u>Powelliphanta hochstetteri</u> ) New Zealand (Nelson)	<del>II</del>	V	S	24,77, 79,224, 275,276, 332	
<u>Paryphanta lignaria</u> (= <u>Powelliphanta lignaria</u> ) New Zealand (North Westland) ✓	<del>II</del>	V	S	24,77, 79,224, 275,276, 332,384	
<u>Paryphanta marchanti</u> (= <u>Powelliphanta marchanti</u> ) New Zealand (North I.)	<del>II</del>	✓	S	24,79, 224,275, 276,332	
<u>Paryphanta rossiana</u> (= <u>Powelliphanta rossiana</u> ) (including <u>P. fletcheri</u> ) New Zealand (Westland) ✓	<del>II</del>	V	S	24,77, 79,224,  275,276, 332	
<u>Paryphanta spedeni</u> (= <u>Powelliphanta spedeni</u> ) New Zealand (Southland)	II	-	S	24,77, 79,224, 275,276, 332	
<u>Paryphanta superba</u> (= <u>Powelliphanta superba</u> ) New Zealand (North-west Nelson)	II	-	S	24,77, 79,224, 275,276, 332	
<u>Paryphanta traversi</u> (= <u>Powelliphanta traversi</u> ) New Zealand (Harrowhenua) ✓	<del>II</del>	V	S	24,79, 224,275, 276,332	

N.B. The genus Powelliphanta was, until recently considered to be a subgenus of Paryphanta (78).

#### Phylum CNIDARIA

#### Class ANTHOZOA

#### Order ANTIPATHARIA

(about 150 species)

#### Black Corals

Albania, Algeria,

Anguilla, Antarctica (Greater

Antarctica), Antigua and

Barbuda, Ascension I. (UK),

Australia, Azores Arch.

(Portugal), Bahamas, Barbados,

Belize, Bermuda, Brazil,

British Virgin Is (UK), Canada

(Newfoundland), Canary Is

(Spain), Cape Verde Is, Chagos

Arch. (UK), Chile (Juan

Fernandez Is), China,

Colombia, Cuba, Cyprus,

II	CT	S	12,99
			128,136,
			139,232
			248,256
			299,362
			363,364
			395

Djibouti?, Dominica, Dominican Republic, Ecuador (Galapagos Is) [214,290], Egypt, Ethiopia, Falkland Is (UK), France, Society Is - French Polynesia (France), Greece, Greenland, Grenada, Guadeloupe (France), Guam (USA) [162], Guyana, Haiti, Hawaii (USA) [140,141], Honduras, Iceland, India [269], Indonesia, Israel, Italy [298], Jamaica, Japan, Kenya (Mombasa), Lebanon, Libya, Madagascar, Madeira (Portugal), Malaysia, Maldives, Malta?, Martinique (France), Marquesas Is - French Polynesia (France), Mauritius, Mexico [60,61,103], Midway Is (USA), Montserrat (UK), Morocco, Netherlands Antilles [241,375], New Caledonia (France), New Zealand [135], Nicaragua, North Yemen, Norway (Lofoten Is) Oman, Panama (Pacific), PNG, Philippines, Prince Edward Is (Canada), Puerto Rico, Saudi Arabia, St Helena (UK), St Kitts-Nevis, St Lucia, St Vincent, Seychelles, Socotra (South Yemen), Solomon Is, South Shetland Is (UK), Spain, Sri Lanka, Sudan [382], Sumatra, Sri Lanka, Svalbard Arch. (Norway), Syria?, Taiwan, Trinidad and Tobago [387], Tunisia, Turkey, Turks and Caicos (UK), Uruguay, USA (Aleutian Is - Alaska, Florida, South Carolina), USSR (Kuril Is, Kamchatka), Vanuatu, Venezuela, Virgin Is (USA), Yugoslavia?

#### Order SCLERACTINIA

##### Family Pocilloporidae

##### Pocillopora spp.

(35 described species but intraspecific variation is so great that probably less than 10 are valid [398])

Brown Stem Cluster Corals,

Brush Corals, Rose Tree

Corals, White Lace Corals

Cauliflower Corals

American Samoa (USA),

Australia (Eastern) [247],

Bahrain, Burma?, Chagos Arch.

(UK), China [406], Colombia,

II	-	S	322,362,
			363,364,
			398



Comoros, Cook Is (New Zealand), Costa Rica, Djibouti, Easter I. (Chile) [392], Ecuador, Egypt [21,249], El Salvador, Ethiopia, Federated States of Micronesia (USA), Fiji [302], French Polynesia (France), Guam (USA), Guatemala, Hawaii (USA) [5], Hong Kong, India [318], Indonesia, Iran, Japan, Kenya, Kiribati (Phoenix Is), Kuwait, Madagascar, Malaysia [101,270], Maldives [318,319], Marshall Is (USA), Mauritius, Mayotte (France), Mexico, Mozambique, Nauru, New Caledonia (France), [118,355], Nicaragua, North Yemen, Northern Mariana Is (USA), Oman [309], PNG, Palau (USA), Panama (Pacific) [132,274], Philippines [6,219,265,297], Pitcairn I. (UK), Qatar, Reunion (France), Saudi Arabia [88,115,178], Seychelles [40,294,306,348], Singapore, Solomon Is, Somalia, South Africa [87], South Yemen, Sri Lanka, Sudan [382], Taiwan [63], Tanzania [148], Thailand [64], Tokelau (New Zealand), Tonga, Tuvalu, UAE, Vanuatu, Vietnam, Wallis and Futuna (France), Western Samoa

\* = Intraspecific variation is so great that probably fewer than 10 are valid species (398).



<u>Seriatopora</u> spp. (approx 5 species)	II	-	S	322,363,
Birds Nest Corals, Needle Corals				364,398
Bush Coral				
American Samoa (USA),				
Australia (Eastern), Burma,				
Caroline Is (USA), Chagos				
Arch. (UK), China, Comoros,				
Djibouti, Egypt, Ethiopia,				
Fiji, Society Is - French				
Polynesia (France), Guam				
(USA), Hong Kong, India,				
Indonesia [36,373], Israel,				
Kenya, Kiribati, Madagascar,				
Malaysia [215], Maldives,				
Marshall Is (USA), Mauritius,				
Mayotte (France), Mozambique,				
Nauru, New Caledonia (France),				
North Yemen, Northern Mariana				
Is (USA), Oman, PNG,				

	CITES	RDB	Exp	Ref	Notes
Philippines [17,297], Reunion (France), Saudi Arabia, Seychelles, Singapore, Solomon Is, Somalia, South Yemen, Sri Lanka, Sudan, Taiwan, Tanzania, Thailand, Tonga, Tuvalu, Vanuatu, Western Samoa					
<u>Stylophora</u> spp. (10 species)	II	-	S	286,363,	
Cauliflower Corals, Hood Coral				364,398	
American Samoa (USA), Australia [378,390], Bahrain, Chagos Arch. (UK), Comoros, Cook Is, Djibouti, Egypt [21,249], Ethiopia [72], Federated States of Micronesia (USA), Fiji, Guam (USA), India, Indonesia [36,373], Iran, Israel, Jordan [126,127,227], Kenya, Kiribati, Kuwait [108], Malaysia, Maldives [318,319], Marshall Is (USA), Mauritius, Mayotte (France), Mozambique, Nauru, New Caledonia (France), North Yemen, Northern Marianas Is (USA), Oman, PNG, Philippines, Qatar, Reunion (France), Saudi Arabia [38,216], Seychelles [306,348], Singapore, Solomon Is., Somalia, South Africa, [87], South Yemen, Sri Lanka, Sudan, Taiwan, Tanzania, Tonga, Tuvalu, UAE, Vanuatu, Wallis and Futuna (France), Western Samoa					
Family Acroporidae					
<u>Acropora</u> spp. (at least 300 described species)	II	-	S	53,322,	
Branch Corals, Brush Corals, Catch Bowl Corals, Christmas Corals, Elkhorn Corals, Finger Corals, Lace Corals, Staghorn Corals, Tree Corals Bush Corals, Bottle-brush Corals, Table Coral, Hump Coral, Knobbly Coral				362,363,	
American Samoa (USA), Anguilla (UK), Antigua and Barbuda, Australia [247,377,385], Bahamas [96,239,349], Bahrain [323], Barbados, Belize, Bermuda, British Virgin Is (UK), Burma [116], Cayman Is (UK), Chagos Arch. (UK), China, Colombia, Comoros [117], Cook Is (New Zealand), Costa Rica, Cuba, Dominica,				364,398	

	CITES	RDB	Exp	Ref	Notes
Dominican Republic, Egypt [21,249], Ethiopia, Fiji [302,312], French Guiana (France)?, French Polynesia (France), Grenada, Guadeloupe (France), Guam (USA) [162,284], Guatemala?, Guyana, Haiti, Hawaii (USA) [142], Honduras, Hong Kong (UK), India [266,267,268,318], Indonesia [36,45,147,310,361], Iran, Israel, Jamaica, Japan, Jordan [227], Kenya, Kiribati (Phoenix Is), Kuwait, Madagascar [264], Malaysia [101,137,399], Maldives [44,271,318,319], Marshall Is (USA), Martinique (France), Mauritius [277,305], Mayotte (France), Mexico, Montserrat (UK), Mozambique, Nauru, Netherlands Antilles, New Caledonia (France) [118,355], Nicaragua, North Yemen, Northern Mariana Is (USA), Oman [138,308,309], Palau (USA), Panama (Atlantic) [222,274], PNG [194,195], Philippines [6,17,219,265, 297], Pitcairn I. (UK), Puerto Rico (USA) [58,133,223,381], Qatar [113,325], Reunion (France), Saudi Arabia [88, 177,178,216], Seychelles [179,294], Singapore, Solomon Is, Somalia, South Africa, South Korea?, South Yemen, Sri Lanka [226], St Kitts-Nevis, St Lucia [287,328], St Vincent, Sudan [382], Djibouti, Surinam?, Taiwan [63,402,403], Tanzania, Thailand [64,193], Tonga, [356], Trinidad and Tobago, Turks and Caicos (UK) [206] Tuvalu, UAE, USA [324], Vanuatu, Venezuela [282], Vietnam, Virgin Is (USA) [4,289], Wallis and Futuna (France), Western Samoa					

Family Agariciidae

<u>Pavona</u> spp. (53 described species)	II	-	S	362,363, 364398
Cactus Corals, Leaf Corals American Samoa (USA), Australia [379], Bahrain, Brunei, Burma, Chagos Arch. (UK), China, Colombia, Comoros, Costa Rica, Djibouti,				

Ecuador, Egypt, El Salvador,  
 Ethiopia, Federated States of  
 Micronesia (USA), Fiji,  
 Galapagos Is (Ecuador), Guam  
 (USA) [284,365], Guatemala,  
 Hawaii (USA), Hong Kong  
 (UK), India, Indonesia (Java,  
 Sulawesi) [310], Iran, Japan,  
 Kenya, Kiribati (Phoenix Is),  
 Kuwait, Madagascar, Malaysia  
 [101,215], Maldives [271,318],  
 Marquesas Is - French  
 Polynesia (France),  
 Marshall Is (USA), Mauritius,  
 Mayotte (France), Mexico,  
 Mozambique, Nauru, New  
 Caledonia (France), Nicaragua,  
 North Yemen, Northern  
 Mariana Is (USA), Oman, PNG,  
 Palau (USA), Panama (Pacific)  
 [274], Philippines [352],  
 Pitcairn I. (UK), Qatar,  
 Reunion (France), Saudi  
 Arabia, Seychelles, Singapore,  
 Solomon Is, Somalia, South  
 Yemen, Sri Lanka, Sudan,  
 Taiwan, Tanzania, Thailand,  
 Tokelau (New Zealand), Tonga,  
 Tuvalu, UAE, Vanuatu, Vietnam,  
 Wallis and Futuna (France),  
 Western Samoa

NB. Includes the subgenera Polyastra and Pseudocolumnastraea.  
 There is great variability within the species, it is possible  
 that only around 12 or 15 species occur within the Indo-Pacific  
 region as a whole.

Family Fungiidae

Fungia spp.

(15 or 20 species)

Button Corals, Feather Corals,  
 Mushroom Corals, Razor Corals  
 American Samoa (USA),  
 Australia [247], Brunei,  
 Burma, Chagos Arch. (UK),  
 China [406], Comoros,  
 Djibouti, Egypt, Ethiopia,  
 Federated States of Micronesia  
 (USA), Fiji, French Polynesia  
 (France), Guam (USA) [162],  
 Hawaii (USA), Hong Kong (UK),  
 India, Indonesia [36], Japan,  
 Jordan [227], Kenya, Kiribati,  
 Madagascar, Malaysia [101],  
 Maldives, Marshall Is (USA),  
 Mauritius, Mayotte (France),  
 Mozambique, New Caledonia  
 (France), Northern Mariana Is  
 (USA), PNG, Palau (USA),

II - S, 107,363,  
 (LA) 364,391,398



	CITES	RDB	Exp	Ref	Notes
Philippines [6], Pitcairn I. (UK), Reunion (France), Saudi Arabia, Seychelles, Singapore [69], Solomon Is, Somalia, Sri Lanka, Sudan [382], Taiwan [63], Tanzania, Thailand, Tonga, Vanuatu, Vietnam, Wallis and Futuna (France), Western Samoa					

<u>Halomitra</u> spp. (possibly 2 species) Bowl Corals, Neptune's Cap Coral American Samoa (USA), Australia [379], Brunei, Burma, Chagos Arch. (UK), China, Comoros, Federated States of Micronesia (USA), Fiji, Guam (USA), Indonesia, Kiribati, Madagascar, Malaysia, Maldives, Marshall Is (USA), Mayotte (France), Nauru, New Caledonia (France), Northern Mariana Is (USA), PNG, Philippines, Seychelles, Singapore, Thailand, Tonga, Tuvalu, Vanuatu, Vietnam, Western Samoa	II	-	S	363,398	
---	----	---	---	---------	--

<u>Polyphyllia</u> spp. (probably only one species, see footnote) Feather Corals, Slipper Corals, Joker's Boomerang Corals American Samoa (USA), Australia [379], Brunei, Burma, Chagos Arch. (UK), China, Comoros, Cook Is (New Zealand), Federated States of Micronesia (USA), Fiji, Society Is - French Polynesia (France), Guam (USA), India, Indonesia, Kenya, Kiribati, Madagascar, Malaysia, Maldives, Marshall Is (USA), Mauritius, Mayotte (France), Nauru, New Caledonia (France), Northern Mariana Is (USA), PNG, Philippines, Reunion (France), Seychelles, Singapore, Solomon Is, Somalia, Sri Lanka, Taiwan, Tanzania, Thailand, Tonga, Tuvalu, Vanuatu, Vietnam, Western Samoa	II	-	S	398	
--	----	---	---	-----	--

NB: There is considerable intraspecific variability in Polyphyllia and as a result it has been described as 8 species belonging to 3 genera (Polyphyllia, Cryptabacia and Lithactinia). It is now considered that all past names are synonyms of the single species P. talpina (379).

	CITES	RDB	Exp	Ref	Notes
Family Faviidae					
<u>Favia</u> spp. (possibly 15 species)	II	-	S	198,202,	
Brain Corals, Knob Corals,				362,363,	
Head Corals				364,398	
American Samoa (USA), Antigua and Barbuda, Australia [376,380], Bahamas, Bahrain, Barbados, Belize, Bermuda, Brazil, British Virgin Is (UK), Brunei, Burma, Cape Verde Is, Caroline Is (USA), Chagos Arch. (UK), China, Colombia, Comoros, Cook Is (New Zealand), Costa Rica, Cuba, Djibouti, Dominica, Dominican Republic, Egypt [249], Equatorial Guinea, Ethiopia, Fiji, French Guiana (France), French Polynesia (France), Gabon, Grenada, Guadeloupe (France), Guam (USA), Guatemala?, Guyana, Haiti, Honduras, India, Indonesia [310,360,361], Iran, Israel, Jamaica, Japan, Jordan [227], Kenya, Kiribati, Kuwait, Madagascar, Malaysia, Maldives, Marshall Is (USA), Martinique (France), Mauritius, Mayotte (France), Mexico, Montserrat (UK), Mozambique, Nauru, Netherlands Antilles, New Caledonia (France) [118,355], Nicaragua, North Yemen, Northern Mariana Is (USA), Oman, PNG, Panama (Atlantic) [274], Philippines [6,265,297], Pitcairn I. (UK), Puerto Rico (USA), Qatar, Reunion (France), Saudi Arabia [216], Seychelles, Singapore [66,67,69,70,71], Solomon Is, Somalia, South Yemen, Sri Lanka [226], St. Kitts-Nevis, St Lucia, St Vincent, South Africa, Sudan, Surinam, Taiwan [63,403], Tanzania, Thailand, Tonga, Trinidad and Tobago, Tuvalu, UAE, USA, Vanuatu, Venezuela, Vietnam, Virgin Is (USA), Western Samoa					
<u>Platygyra</u> spp. (probably 8 species)	II	-	S	363,364, 398	
Brain Corals, Lesser Valley Corals					
American Samoa (USA), Australia [380], Bahrain, Brunei, Burma, Caroline Is (USA), Chagos Arch. (UK),					

	CITES	RDB	Exp	Ref	Notes
China, Comoros, Djibouti, Egypt [249], Ethiopia, Fiji, French Polynesia (France), Guam (USA), Hong Kong (UK), India, Indonesia, Iran, Japan, Kenya, Kiribati, Kuwait, Madagascar, Malaysia [101], Maldives, Marshall Is (USA), Mauritius, Mayotte (France), Mozambique, New Caledonia (France), North Yemen, Northern Mariana Is (USA), Oman [309], PNG, Philippines, Pitcairn I. (UK), Qatar [113], Saudi Arabia [216], Seychelles, Singapore [67,68,69,71], Solomon Is, Somalia, South Yemen, Sri Lanka, Sudan [382], Taiwan [403], Tanzania, Thailand, Tonga, Tuvalu, UAE, Vanuatu, Vietnam, Western Samoa					

Family Merulinidae

✓ <u>Merulina</u> spp. (6 species)	II	-	S	363,398	
Merulina Corals, Crispy Crust Corals					
American Samoa (USA), Australia (Western) [379,390], Burma, Caroline Is (USA), Chagos Arch. (UK), Cook Is (New Zealand), Djibouti, Egypt, Ethiopia [72], Fiji, Guam (USA), India, Indonesia (Nusa Tenggara), Israel, Jordan [227], Kiribati, Malaysia, Maldives, Marshall Is (USA), Nauru, New Caledonia (France), North Yemen, Northern Mariana Is (USA), PNG, Philippines, Saudi Arabia, Singapore, Solomon Is, Somalia, Sri Lanka, Sudan, Thailand, Tonga, Tuvalu, Vanuatu, Vietnam, Western Samoa					

NB: Veron and Pichon (1980) consider that all species are probably a single species: M. ampliata.

Family Mussidae

<u>Lobophyllia</u> spp. (probably 4 species)	II	-	S	363,364, 398	
Brain Root Corals					
Horse's Tooth Corals					
Lobed Cup Corals					
American Samoa (USA), Australia, Brunei, Burma,					

Chagos Arch. (UK), China,  
Comoros, Cook Is (New  
Zealand), Djibouti, Egypt,  
Ethiopia [72], Fiji, French  
Polynesia (France), Guam  
(USA), India, Indonesia,  
Israel, Japan, Jordan [227],  
Kampuchea, Kenya, Madagascar,  
Malaysia, Maldives,  
Marshall Is (USA), Mauritius,  
Mayotte (France), Mozambique,  
New Caledonia (France), North  
Yemen, Northern Mariana Is  
(USA), PNG, Philippines,  
Pitcairn I. (UK), Reunion  
(France), Saudi Arabia,  
Singapore, Solomon Is,  
Somalia, Sri Lanka [100],  
Sudan, Taiwan, Tanzania,  
Thailand, Tonga, Tuvalu,  
Vietnam, Western Samoa

Family Pectiniidae

II - S 65,363,  
364,398

Pectinia spp.

(=Tridacophyllia)

Hibiscus Corals, Lettuce  
Corals (12 described species)

Carnation Corals

American Samoa (USA),  
Australia [379], Brunei,  
Burma, Caroline Is (USA),  
Chagos Arch. (UK), China,  
Comoros, Cook Is? (New  
Zealand), Fiji, Guam (USA),  
India, Indonesia, Kenya,  
Kiribati, Madagascar,  
Malaysia, Maldives,  
Marshall Is (USA), Mayotte  
(France), Mozambique, New  
Caledonia (France), Northern  
Mariana Is (USA), PNG,  
Philippines, [265], Singapore,  
Solomon Is, Somalia, Sri  
Lanka, Taiwan [63], Tanzania,  
Thailand, Tonga, Tuvalu,  
Vanuatu, Vietnam, Western  
Samoa

NB: There is great variation within the genus. Chevalier  
(1975) and Veron and Pichon (1980) suggest that only about half  
this number are valid species.

Family Caryophylliidae

Euphyllia spp.

II - F, 363,364,  
T, 398  
BM,  
S,

(2 subgenera with 2 described  
species each)

Brain Trumpet Corals

Joker Corals, Bean Corals



	CITES	RDB	Exp LA	Ref	Notes
American Samoa (USA), Australia (Western) [379,390], Brunei, Burma, Caroline Is (USA), China, Comoros, Cook Is? (New Zealand), Djibouti, Egypt, Ethiopia, Fiji, Guam (USA), India, Indonesia (Maluku, Sulawesi) [36], Kampuchea, Kenya, Kiribati, Madagascar, Malaysia, Maldives, Marshall Is (USA), Mayotte (France), Mozambique, New Caledonia (France), North Yemen, Northern Mariana Is (USA), PNG, Philippines, Saudi Arabia, Seychelles, Singapore, Solomon Is, Somalia, Sri Lanka, [100], Sudan, Taiwan, Tanzania, Thailand, Tonga, Tuvalu, Vanuatu, Vietnam, Western Samoa					

Class HYDROZOA

Order ATHECATA

Family Milleporidae

*Millepora* spp. (probably  
10 species)

II	-	S	37,362, 363,364, 398
----	---	---	----------------------------

Fire Corals, Wello Fire Corals  
Stinging Coral

American Samoa (USA), Anguilla  
(UK), Antigua and Barbuda,  
Australia, Bahamas [96,349],  
Barbados, Belize, Brazil,  
British Virgin Is (UK),  
Brunei, Burma, Cape Verde Is  
[198], Cayman Is (UK), Chagos  
Arch. (UK), China [405],  
Colombia, Comoros, Cook Is  
(New Zealand), Costa Rica,  
Cuba, Djibouti, Dominica,  
Dominican Republic, Ecuador,  
Egypt [21,249], Ethiopia,  
Fiji, French Guiana (France),  
French Polynesia (France),  
Grenada, Guadeloupe (France),  
Guam (USA), Guatemala, Guyana,  
Haiti, Honduras, India,  
Indonesia, Israel, Jamaica,  
Japan, Jordan [227], Kenya,  
Kiribati, Madagascar, Malaysia  
[101], Maldives [318],  
Marshall Is (USA), Martinique  
(France), Mauritius, Mayotte  
(France), Mexico, Montserrat  
(UK), Mozambique, Netherlands  
Antilles, New Caledonia  
(France), Nicaragua, North  
Yemen, Northern Mariana Is  
(USA), Oman, Palau (USA),

	CITES	RDB	Exp	Ref	Notes
Panama [274], PNG, Pitcairn I. (UK), Philippines [6,17,265], Puerto Rico (USA) [58,131, 133,381], Reunion (France), Saudi Arabia, Seychelles [306, 348], Singapore, Solomon Is, Somalia, South Korea?, South Yemen, Sri Lanka, St Kitts-Nevis, St Lucia [287], St Vincent [3], Sudan, Surinam, Taiwan [63], Tanzania, Thailand, Tonga, Trinidad and Tobago, Turks and Caicos (UK) [206], Tuvalu, USA [98,143,180,213], Vanuatu, Venezuela [246,259], Vietnam, Virgin Is (USA) [289,292,293], Western Samoa					

Class ALCYONARIA

Order COENOTHECALIA

Family Helioporidae

Heliopora spp.

II	-	S	363,364, 398
----	---	---	-----------------

(only one species Heliopora  
coerulea)

Blue Corals, Blue Ridge Corals  
American Samoa (USA),  
Australia (Western) [29,30],  
Brunei, Burma, Chagos Arch.  
(UK), China, Comoros,  
Djibouti, Egypt, Ethiopia,  
Fiji, Guam (USA) [162], India,  
Indonesia (Maluku), Japan  
(Okinawa), Kampuchea, Kenya,  
Kiribati, Madagascar,  
Malaysia, Maldives,  
Marshall Is (USA), Mayotte  
(France), Mozambique, New  
Caledonia (France), North  
Yemen, Northern Mariana Is  
(USA), Mauritius, PNG,  
Philippines [6,17], Saudi  
Arabia, Seychelles [306,348],  
Singapore, Solomon Is,  
Somalia, South Yemen, Sudan,  
Taiwan [63], Tanzania,  
Thailand [193], Tonga, Tuvalu  
[52], Vanuatu, Vietnam,  
Western Samoa

Order STOLONIFERA

Family Tubiporidae

Tubipora spp.

II	-	S	363,364, 398
----	---	---	-----------------

(Tubipora musica is probably  
the only valid species)  
Organpipe Corals

	CITES	RDB	Exp	Ref	Notes
Australia, Brunei, Burma, Chagos Arch. (UK), China, Djibouti, Egypt, Ethiopia, Fiji, Guam [162], Hawaii (USA), India, Indonesia (Maluku), Malaysia, Maldives, New Caledonia (France), North Yemen, PNG, Palau (USA), Philippines, Saudi Arabia, Seychelles, Singapore, Solomon Is, Somalia, Sudan, Taiwan, Thailand, Vanuatu, Vietnam					

# INVERTEBRATES - REFERENCES

1. Abbott, R.T. (1980). The Shell Trade in Florida. Status, Trade and Legislation. Special Report 3. TRAFFIC (U.S.A.), Washington, D.C.
- 34-2. Ackery, P.R. (1975). A guide to the genera and species of Parnassiinae (Lepidoptera: Papilionidae). Bulletin of the British Museum (Natural History). Entomology 31: 71-105.
3. Adams, R.D. (1968). The leeward reefs of St. Vincent, West Indies. Journal of Geology 76: 587-595.
4. Adey, W.H., Rogers, C.S., Steneck, R.S. and Salesky, N.H. (1981). The South St. Croix Reef: a study of reef metabolism as related to environmental factors and an assessment of environmental management. Report prepared for the Department of Conservation and Cultural Affairs, Government of U.S. Virgin Islands. West Indies Laboratory, Fairleigh Dickinson University.
5. AECOS, Inc. (1979). Hawaii Coral Reef Inventory Island of Oahu. Prepared for U.S. Army Engineering Division, Pacific Ocean. 552 pp.
6. Alcala, A.C. (1985). Research at Silliman University Marine Laboratory, Philippines. Reef Newsletter 11: 7-8.
7. Alcala, A.C. (undated). Distribution and abundance of giant clams (Family Tridacnidae) in south-central Philippines. Unpublished.
8. Andrus, C.B., Herbst, R.L. and Greenwalt, L.A. (1976). Conserving our fish and wildlife heritage. Annual Report FY 1976. U.S. Fish and Wildlife Service.
9. Anon. (1974). Endangered wild animals in Ohio. Ohio Department of Natural Resources, Division of Wildlife.
- 224-10. Anon. (1976). Rote Liste bedrohter Tiere in Bayern (Wirbeltiere und Insekten). Schriften der Natur. Lans. Bayern 3: 1-12.
11. Anon. (1977). Tan Riffle Shell determined to be endangered. Department of Interior News Release, U.S. Fish and Wildlife Service, 9 September.
12. Anon. (1980). Ananhangsel A van het besluit ter Uitvoering van Artikel 3 van de wet bedreigde uitheemse diersoorten.
13. Anon. (1982). Virginia's endangered mussels studied by State's Co-op Fishery Research Unit. Endangered Species Technical Bulletin 7(3): 6-7.
14. Anon. (1985). Taiwanese fishing vessel finally brought to justice. Fins 18(1): 3-6.
15. Arndt, W. (1940). Als Heilmittel gebrauchte Stoffe Q. Bluteigel. Die Rohstoffe des Tierreiches Q. Berlin. Pp. 524-573.
16. Arora, G.S. and Nandi, D.N. (1980). On the butterfly fauna of the Andamans and Nicobar Islands (India). 1 Papilionidae. Records of the Zoological Survey of India 77: 141-151.



17. Auberson, B. (1982). Coral transplantation: an approach to the re-establishment of damaged reefs. Kalikasan College, Laguna. Philippine Journal of Biology 11(1): 158-172.
18. Baagoe, P. and Jensen, P. (1985). Supplerrende oplysninger om forekomst at Laegeigle (Hirudo medicinalis L.) i. Danmark Flora og Fauna 91: 27-30.
- 31 19. Bain, J.R. and Humphrey, S.R. (1982). A profile of the Endangered Species of Thailand. Vol.1. Through Birds. Report No. 4, Office of Ecological Services, Florida State Museum, Gainesville. 344 pp.
- 9 20. Bannikov, A.G. and Sokolov, V.I. (Eds) (1984). The Red Data Book of the U.S.S.R. Rare and Threatened Species of Animals and Plants. Lesuaya Promiishlyennost Press, Moscow (in Russian).
21. Barratt, L. (1982). Scientific Report of the Joint Services Expedition to the Egyptian Red Sea 1982. 46 pp.
- 189 22. Barzdo, J. (1985). Order Lepidoptera/Family Papilionidae. Identification Aid to Birdwing Butterfly Species. In: P. Dollinger (Ed.), CITES Identification Manual. Vol.3. Secretariat of the Convention. Lausanne, Switzerland.
23. Bates, J.M. and Dennis, S.D. (1978). The mussel fauna of the Clinch River, Tennessee and Virginia. Sterkiana 69-70: 3-23.
24. Bell, B.D. (1986). The conservation status of New Zealand wildlife. New Zealand Wildlife Service, Department of Internal Affairs, Wellington. Occasional Publication 12: 103 pp.
25. Bellingham, M. (1984). What future for Kauri? Forest and Bird 15(3): 14-17.
26. Bennike, S.A.B. (1943). Contributions to the ecology and biology of the Danish freshwater leeches (Hirudinea). Folia Limnologica Scandinavica 2: 1-109.
- 258 - 27. Berger, L.A. (1974). Notes sur quelques Papilionidae du Musee Royal de l'Afrique Centrale. Lambillionea 72-73: 69-76.
- 229 - 28. Bernardi, G., Nguyen, T. and Nguyen, T.H. (1981). Inventaire, cartographie et protection des Lepidopteres en France. Beiheft Veroffentlichungen Naturschutz Landschaftspflege Baden-Wurttemberg 21: 59-66.
29. Berry, P. and Marsh, L. (1985). Scott Reef and the Rowley shoals, Shelfedge atolls off North Western Australia. Proceedings of the 5th International Coral Reef Congress, Tahiti 6: 317-322.
30. Berry, P.F. (Ed.) (1986). Faunal surveys of the Rowley Shoals, Scott Reef and Seringapatam Reef, North-Western Australia. Records of the Western Australian Museum Supplement 25: 1-106.
- 231 - 31. Biedermann, J. (1982). Lebensraum fur Insekten. Liechtensteiner Umwelt bericht June 1982, 4-5.
- 225 - 32. Blab, J. and Kudrna, O. (1982). Naturschutz Aktuell, Hilfsprogramm fur Schmetterlinge. Kilda-Verlag, Greven. 135 pp.

33. Boday, A. (1984). An assessment of human impact on giant clam populations (Tridacna maxima) in the vicinity of Jeddah, Saudi Arabia. Symposia on Coral Reef Environment Red Sea Jeddah. 25 pp.
34. Bogan, A.E. and Parmalee, P.W. (1979). Endangered or Threatened Mollusks of Tennessee. University of Tennessee, Knoxville.
35. Bogan, A.E. and Parmalee, P.W. (1983). The Mollusks, Vol.2. In: Tennessee's Rare Wildlife, Tennessee Heritage Programme, Nashville, Tennessee.
36. Borel-Best, M., Noll, H. and Boekschoten, G.J. (1985). Investigations of recent and fossil coral reefs in Eastern Indonesia (Snellius-II expedition): a preliminary report. Proceedings of the 5th International Coral Reef Congress, Tahiti 6: 311-316.
37. Boschma, H. (1948). The species problem in Millepora. Zoologische Verhandlungen. Leiden 1: 1-111.
38. Bouchon, C. and Antonius, A. (1983). Coral communities of the reef formations near Jeddah (Saudi Arabia, Red Sea). Biologie et Geologie des Recifs Coralliens. Colloque annuel, International Society for Reef Studies, University of Nice, December 1983 (Abstract).
39. Bourgoigne, J. (1971). Un temoignage de plus sur la destruction de la nature (Papilionidae). Alexanor 7: 1-50.
40. Braithwaite, C.J.R. (1971). Seychelles reefs: structure and development. In: Stoddart, D.R. and Yonge, C.N. (Eds), Regional Variation in Indian Ocean Coral Reefs Symposia of the Zoological Society of London 28: 397-431.
41. Braley, R.D. (1985). Serotonin-induced spawning in giant clams (Bivalvia: Tridacnidae). Aquaculture 47: 321-325.
42. Braley, R.D. (1986). Developments in giant clam culture. Australian Fisheries 45(1): 7-9.
43. Bretherton, R.F. and De Worms, C.G. (1963). Butterflies in Corsica 1962. Entomologists' Record and Journal of Variation 75: 93-104.
44. Brown, B.E. and Dunne, R.P. (1986). Report on a preliminary investigation into the environmental impact of coral mining on the reefs in the Maldives - an assessment and recommendations. University of Newcastle upon Tyne, U.K.
45. Brown, B.E., Holley, M.C. Sya'rani, L. and Le Tissier, M. (1983). Coral assemblages of reef flats around Pulau Pari, Thousand Islands, Indonesia. Atoll Research Bulletin 281:1-14.
46. Brown, F.M. and Heinemann, B. (1972). Jamaica and its Butterflies. Classey, London. 478 pp.
47. Brown, J.H. and Muskanofola, M.R. (1985). An investigation of stocks of giant clams (family Tridacnidae) in Java and their utilization and potential. Aquaculture and Fisheries Management 1: 25-39.

48. Bryan, P.G. and McConnell, D.B. (1976). Status of giant clam stocks (Tridacnidae) on Helen Reef, Palau, Western Caroline Islands, April 1975. Marine Fisheries Review 38: 15-18.
49. Bryk, F. (1935). Lepidoptera Parnassiidae pars II (Subfamily Parnassinae). Tierreich 65: Li. 790 pp.
50. Buchanan, A.C. (1981). The distribution and habitat of the Curtis' Pearly Mussel, Epioblasma florentina curtisi (Utterback, 1915) in south-eastern Missouri. (Abstract). Bulletin of the American Malacological Union, Inc. 1981: 43.
51. Buchanan, A.C. (1982). A study of Epioblasma florentina curtisi (Utterback, 1915), the Curtis Pearly Mussel, in the Upper Little Black River, Missouri. U.S. Department of Agriculture Soil Conservation Service. Unpublished. 11 pp.
52. Buckley, R. (1985). Environmental survey of Funafuti Atoll. Proceedings of the 5th International Coral Reef Congress, Tahiti 6: 305-310.
53. Buddemeier, R.W. and Kinzie, R.A. (1976). Coral growth. Oceanography and Marine Biology Annual Review 14: 183-325.
54. Burch, J.B. (1975). Freshwater Unionacean Clams (Mollusca: Pelecypoda) of North America. Revised Edition, Malacological Publications, Michigan.
- 24 55. Burckhardt, D., Gfeller, W. and Miller, H.U. (1980). Animaux proteges de Suisse. Ligue Suisse pour la Protection de la Nature (LSPN). Birkhauser SA, Bale. 224 pp.
- 245- 56. Burckhardt, D., Gfeller, W. and Muller, H.U. (1980). Geschutzte Tiere der Schweiz. Schweiz. Bund fur Naturschutz, Basel. 223 pp.
- 209- 57. Calderara, P. (1984). A new subspecies of Ornithoptera victoriae Gray (Papilionidae) from Choiseul, Solomon Islands. Proceedings and Transactions of the British Entomological and Natural History Society 17: 31-35.
58. Canals, M., Ferrer, H. and Gonz@lez, J. (1980). El arrecife coralino de Caja de Muertos, Puerto Rico. Report to the Department of Natural Resources, Commonwealth of Puerto Rico.
- 223- 59. Caputa, A., Holcik, J. and Berger, Z. (1982). Atlas of protected animals in Slovakia. Obzor, Bratislava. 434 pp.
60. Castorena, V. (1979). Coral Negro - una posible estrategia. Tecnica Pesquera: 20-21.
61. Castorena, V. and Metaca, M. (1979). El coral negro, una riqueza en peligro. Tecnica Pesquera: 22-27.
62. Chambers, S.M. and Williams, L.K. (1980). Endangered and threatened wildlife and plants. Proposed Endangered status for Achatinella, a genus of Hawaiian tree snails. Federal Register 45(125): 43358-43360.

63. Chang, K.H. (1983). Marine resources of Langu and Lutao islands. Institute of Zoology, Academica Sinica Monograph 9: 1-69 (in Chinese).
64. Chansang, H., Boonyanate, P. and Charuchinda, M. (1981). Effect of sedimentation from coastal mining on coral reefs on the north-western coast of Phuket Island, Thailand. Proceedings of the 4th International Coral Reef Symposium, Manila 1: 129-136.
65. Chevalier, J.P. (1975). Les scleractiniaires de la Melanesie francaise (Nouvelle Caledonie, Iles Chesterfield, Iles Loyaute, Nouvelle Hebrides). 2eme Partie. Expedition Francaise recifs coralliens Nouvelle Caledonie, Edn. Fond. Singer-Polignae, Paris. 7: 5-407.
66. Chou, L.M. (1984). The coral reef of Pulau Salu. Singapore Scientist 10(2): 60-64.
67. Chou, L.M. (1985). The coral reefs of Singapore. Nature Malaysiana 10(1): 22-31.
68. Chou, L.M. (1985). Between the tides at Labrador Park Beach. Singapore Scientist 11(1): 60-64.
69. Chou, L.M. and Teo, Y.H. (1985). An ecological study on the scleractinian corals of Pulau Salu reef, Singapore. Asian Marine Biology 2: 11-20.
70. Chou, L.M. and Wong, F.J. (1985). Reef community structure of Pulau Salu, Singapore. Proceedings of the 5th International Coral Reef Congress, Tahiti 6: 285-290.
71. Chuang, S.-H. (1977). Ecology of Singapore and Malayan coral reefs - preliminary classification. Proceedings of the 3rd International Coral Reef Symposium, Miami. Pp 55-61.
72. Civitelli, G. and Matteucci, R. (1981). La scogliera a frangia di Tanam (Isole Dahlak, Mar Rosso). Bollettino della Societa Geologica Italiana. Roma 99: 517-530.
73. Clarke, A.H. (1973). On the distribution of Unionidae in the Sydenham River, Southern Ontario. Malacological Review 6: 63-64.
74. Clarke, A.H. (1976). The endangered molluscs of Canada. In: Mosquin, T. and Suchal, C. (Eds), Canada's Threatened Species and Habitats. Proceedings of the Symposium, May 1976. Ottawa, Canada.
75. Clarke, A.H. (1981). Notes on the names Dysnomia, Epioblasma, and Plagiola. In: Determination of the precise geographical areas occupied by four endangered species of freshwater molluscs. Final Report to U.S. Fish and Wildlife Service. Twin Cities, Minnesota. Contract No. 14-16-003-81-019.
76. Clench, W.J. and Turner, R.D. (1962). Monographs of the genera Papustyla, Forcartia, and Meliobba (Papuinae: Camaenidae). The Malacological Society of Australia.
77. Climo, F.M. (1975). The land snail fauna. In: G. Kuschel (Ed.), Biography and Ecology in New Zealand. Junk, The Hague. 689 pp.



78. Climo, F.M. (1976). A new higher classification of New Zealand Rhytididae (Mollusca: Pulmonata). Journal of the Royal Society of New Zealand 7(1): 59-65.
79. Climo, F.M. (1978). The Powelliphanta gilliesi - traversi - hochstetteri - rossiana - lignaria - superba ring species (Mollusca: Pulmonata). New Zealand Journal of Zoology (5): 289-294.
- 200 - 80. Collins, N.M. (1987). Butterfly Houses in Britain - The Conservation Implications. Unpublished report. IUCN, Cambridge. 60 pp. + 4 annexes.
- 164 - 81. Collins, N.M. and Morris, M.G. (1985). Threatened Swallowtail Butterflies of the World. The IUCN Red Data Book. IUCN, Gland and Cambridge. vii + 401 pp.
- 213 - 82. Collins, N.M. and Wells, S.M. (1987). Invertebrates in need of special protection in Europe. Council of Europe. Strasbourg. Nature and Environment Series 35: 162 pp.
- 205 - 83. Common, I.F.B. and Waterhouse, D.F. (1972). Butterflies of Australia. Angus and Robertson, Sydney. 498 pp.
- 154 84. Corbet, A.S. and Pendlebury, H.M. (1978). The Butterflies of the Malay Peninsula (Third edition revised by J.N. Eliot). Malayan Nature Society, Kuala Lumpur. 578 pp.
85. Crawford, C.M., Nash, W.J. and Lucas, J.S. (1986). Spawning induction, and larval and juvenile rearing of the Giant clam, Tridacna gigas. Aquaculture 58: 281-295.
86. Cristea, V. and Manoleli, D. (1977). Conspectus des sangsues (Hirudinea) de Roumanie avec une clef de determination. Travaux du Muséum d'Histoire Naturelle "Gr. Antipa". Bucuresti 18: 23-56.
87. Crossland, C. (1948). Red corals of South African coasts. Annals of the Natal Museum. Pietermaritzburg 11(2): 169-205.
88. Crossland, C.J., Dawson Shepherd, A., Stafford Smith, M. and Marshall Crossland, J.I. (1987). Habitats of the Saudi Arabian Red Sea: an ecosystem assessment. Saudi Arabia Marine Conservation Program. Synoptic Report. Report to MEPA, Jeddah. Kingdom of Saudi Arabia.
- 191 89. D'Abrera, B. (1971). Butterflies of the Australian Region. Lansdowne Press, Melbourne. 415 pp.
- 195 90. D'Abrera, B. (1975). Birdwing Butterflies of the World. Lansdowne Press, Melbourne. 415 pp.
- 123 91. D'Abrera, B. (1981). Butterflies of the Neotropical Region. Part 1. Papilionidae and Pieridae. Lansdowne Editions, Melbourne. 172 pp.
- 120 92. D'Abrera, B. (1982). Butterflies of the Oriental Region. Part 1. Papilionidae and Pieridae. Hill House, Victoria, Australia. 244 pp.
- 232 - 93. Dabrowski, J.S. (1975). Some problems in the preservation of butterflies in Poland. Atala 3: 4-5.

94. Dabrowski, J.S. (1980). The protection of the Lepidopterofauna - the latest trends and problems. Nota Lepidopterorum 3: 114-118.
95. Dabrowski, J.S. (1980). The disappearance of the biotopes of Parnassius apollo (L.) in Poland and the necessity of its active preservation (Lepidoptera Papilionidae). Casopis Slezsk ho Musea v Opave. Ser. A. Historia Naturalis 29: 181-185 (in Polish).
96. Dahl, A.L., McIntyre, I.G. and Antonius, A. (1974). A comparative survey of coral reef research sites. Atoll Research Bulletin 172: 37-120.
97. Darby, A.W. (1985). On the status of Ornithoptera meridionalis tarunggarensis Joicey and Talbot. Papilio International 12(3-4): 119-125.
98. Davis, G.E. (1982). A century of natural change in coral distribution at the Dry Tortugas; a comparison of reef maps from 1881 and 1976. Bulletin of Marine Science 32(2): 608-623.
99. De Haas, W. and Knorr, F. (1966). The Young Specialist Looks at Marine Life. Burke, London. 356 pp.
100. De Silva, M.W.R.N. (1985). Status of the coral reefs of Sri Lanka. Proceedings of the 5th International Coral Reef Congress, Tahiti 6: 515-518.
101. De Silva, M.W.R.N., Betterton, C. and Smith, R.A. (1980). Coral Reef resources of the east coast of Peninsular Malaysia. In: Chua, T.E. and Charles, J.K. (Eds). Pp 95-158.
102. De Viedma, M.G. and Gomez-Bustillo, M.R. (1976). Libro Rojo de Los Lepidopteros Ibericos. Publicaciones del Ministerio de Agricultura Secretaria General Tecnica, Madrid. 120 pp.
103. De la Torre, A.R. (1978). Coral negro: Un recurso o una especie en peligro. In: Higman, J.B. (Ed.), Proceedings of the Annual Gulf and Caribbean Fisheries Institute 31: 158-163.
104. Debout, G. and Provost, M. (1981). Le Marais de la Sangsuri ve. Le Courrier de la Nature 74: 10-18.
105. Dennis, S. (1979). Freshwater and terrestrial molluscs. In: Linzey, D.W. (Ed.), Endangered and Threatened Plants and Animals of Virginia. Proceedings of Symposium, May 1978, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.
- 205- 106. Deslisle, G. (1985). Nouvelle sous-espece chez Ornithoptera tithonus de l'ile Misool, Indonesie (Lepidoptera: Papilionidae). The Canadian Entomologist 117: 221-225.
107. Ditler, H. (1980). A Field-guide to the Reef-building Corals of the Indo-Pacific. Scandinavian Science Press Ltd., Klampenborg. Dr. W. Backhuys, Publisher. Rotterdam. 291 pp.
108. Downing, N. (1985). Coral reef communities in an extreme environment: the northwestern Arabian Gulf. Proceedings of the 5th International Coral reef Congress, Tahiti 6: 343-348.

109. Dresscher, T.G.N. and Highler, L.W.A. (1982). De Nederlandse Bloedzuigers. Hirundinea. Wetenschappelijke Mededelingen. Koninklijke Nederlandse Natuurhistorische Vereniging 154: 64 pp.
110. Elliott J.M. and Tullett, P.A. (1982). Provisional Atlas of the Freshwater Leeches of the British Isles. Freshwater Biological Association, Occasional Publication 14: 1-31.
111. Elliott, J.M. and Tullett, P.A. (1984). The Status of the Medicinal Leech Hirudo medicinalis in Europe and especially in the British Isles. Biological Conservation 29: 15-26.
112. Elliott, J.M. and Tullett, P.A. (1986). The effects of temperature, atmospheric pressure and season on the swimming activity of the medicinal leech, Hirudo medicinalis (Hirudinea; Hirudinidae), in a Lake District tarn. Freshwater Biology 16: 405-415.
113. Emara, H.I., El-Samra, M.I., El-Deeb, K.Z. and Ahmed, I.F. (1985). A preliminary study of the chemical characteristics of coral reef areas in the Qatari waters (Gulf area). Proceedings of the 5th International Coral Reef Congress, Tahiti 6: 13-16.
- 242- 114. Evans. W.H. (1932). The Identification of Indian Butterflies. Bombay Natural History Society. Second Edition, revised. 454 pp.
115. Fadlallah, Y.H. (1985). Sexual reproduction in Pocillopora verrucosa at Yanbu, Saudi Arabia (Red Sea). Proceedings of the 5th International Coral Reef Congress, Tahiti 4: 313-318.
116. FAO (1982). Maungmagan, Moscos Islands and Mergui Archipelago: report on a preliminary survey. Nature Conservation and National Parks Project: FO: BUR/80/006. Field Report 4/82. FAO, Rome. 35 pp.
117. Faure, G., Guillaume, M., Payri, C., Thomassin, B.A., Van Praet, M. and Vasseur, P. (1984). Sur un phenomene remarquable de blanchiment et de mortalit massive de madreporaires dans le complexe recifal de l'ile Mayotte (SO Oc an Indien). Compte Rendu de l'Academie des Sciences. Paris 299, Serie 3(15): 637-642.
118. Faure, G., Thomassin, B.A. and Vasseur, P. (1981). Reef coral assemblages on windward slopes in the Noumea Lagoon (New Caledonia). Proceedings of the 4th International Coral Reef Symposium, Manila 2: 293-301.
- 217- 119. Fausser, J. (1980). Observations concernant Papilio hospiton Gene en Haute-Corse. Bulletin Liaison l'Association Entomologique d'Evreux 5: 18-19.
120. Forselius, S. (1952). Blodigelu (Hirudo medicinalis L.) i Norden. Sartryck ur Sr. Faun. Rery 3: 67-79.
121. Fry, I. and Robinson, M. (1986). The threatened Invertebrates. In: Kennedy, M. and Burton R. (Eds), A Threatened Species Conservation Strategy for Australia. Ecofund Australia: 14-17.

- 210-122. Gomez Bustillo, M.R. and Fernandez-Rubio, F. (1974). Mariposas de la Peninsula Iberica (tomo 1). Servicio de Publicaciones del Ministerio de Agricultura, Madrid. 198 pp.
- 221-123. Gomez Bustillo, M.R. and Fernandez-Rubio, F. (1974). Mariposas de la Peninsula Iberica (tomo 2). Servicio de Publicaciones del Ministerio de Agricultura, Madrid. 258 pp.
124. Gabriel, A.G. (1942). A new species of Bhutanitis (Lep. Papilionidae). Entomologist 75: 189.
125. Gagne, B.H., Kay, E.A. and Langford, P.S. (1975). A survey of Achatinella on Oahu, Hawaii September-December 1974. Report to Office of Endangered Species, USDI.
126. Gattuso, J.P. (1985). Features of depth effects on Stylophora pistillata, an hermatypic coral in the Gulf of Aqaba (Jordan, Red Sea). Proceedings of the 5th International Coral Reef Congress, Tahiti 6: 95-100.
127. Gattuso, J.P. and Jaubert, J. (1984). Premi res donn es concernant l'action de la lumiere sur le metabolisme, la croissance et la calcification in-situ du scleractinaire hermatypique Stylophora pistillata. Compte Rendu de l'Academie des Sciences. Paris t. 299, Ser. 3 (14): 585-590.
128. George, J.D. and George, J.J. (1979). Marine Life. Harrap and Co., London.
- 62 129. Gepp, J. (1983). Rote Listen Gefahrdeter Tiere Osterreichs. Bundesministeriums fur Gesundheit und Umweltschutz, Wien. 242 pp.
- 238-130. Gibert, J.M.M. (1969). Parnassius apollo in the eastern Spanish Pyrennees. Tieg Newsletter 10(2): 16-20.
131. Glynn, P.W. (1973). Ecology of a Caribbean coral reef - the Porites reef-flat biotope. Part 1. Meteorology and hydrography. Marine Biology 20: 297-318.
132. Glynn, P.W. and Stewart, R.H. (1973). Distribution of coral reefs in the Pearl Islands (Gulf of Panama) in relation to thermal conditions. Limnology and Oceanography 18: 367-379.
133. Goenaga, C. and Cintron, G. (1979). Inventory of the Puerto Rican Coral Reefs. Report submitted to the Coastal Zone Management Programme of the Department of Natural Resources, Commonwealth of Puerto Rico.
134. Goreau, T.F., Goreau, N.I. and Youge, C.M. (1973). On the utilization of photosynthetic products from zooxanthellae and of a dissolved amino acid in Tridacna maxima f. elongata (Mollusca: Bivalvia). Journal of Zoology 169: 417-454.
135. Grange, K.R., Singleton, R.J., Richardson, J.R., Hill, P.J. and Main, W. de L. (1981). Shallow rock-wall biological associations of some southern fiords of New Zealand. New Zealand Journal of Zoology 8: 209-227.



136. Grasshoff, M. (1981). (in German - Distribution list of anthozoans in deep water.) Bulletin Museum d'Histoire naturelle, Paris 3(3): 731-766.
137. Green J.P., Harris, S., Robertson, G. and Santavy, D. (1979). Some corals from the Pulau Redang Archipelago. Malayan Nature Journal 32(3 and 4): 281-326.
138. Green, F. (1983). Comparison of present-day coral communities off the Oman Coast with mid-tertiary corals from the MAM reef, near Seeb, Oman. Biologie et Geologie des Recifs Coralliens. Colloque annuel. International Society for Reef Studies, University of Nice, December 1984.
139. Grigg, R. and Eade, J.V. (1981). Precious corals. In: Report on the Inshore and Nearshore Resources Training Workshop, Suva, Fiji. 13-71 July 1981, CCOP/SOPAC.
140. Grigg, R.W. (1965). Ecological studies of black coral in Hawaii. Pacific Science 19: 244-260.
141. Grigg, R.W. (1976). Fishery management of precious and stony corals in Hawaii. UNIHI-SEAGRANT-TR-77-03. 48 pp.
142. Grigg, R.W. (1983). Community structure, succession and development of coral reefs in Hawaii. Marine Ecology Progress Series 11: 1-14.
143. Grimm, D.E. and Hopkins, T.S. (1977). Preliminary characterization of the octocorallian and scleractinian density at the Florida Middle Ground. Proceedings of the 3rd International Coral Reef Symposium, Miami: 135-141.
144. Hadfield, M.G. (1982). Field studies of Oahu's native tree snails. 4th Conference in Natural Sciences. 2-4 June 1982.
145. Hadfield, M.G. (1986). Extinction in Hawaiian Achatinelline snails. Malacologia 27(1): 67-81.
146. Hadfield, M.G. and Mountain, B.S. (1981). A field study of a vanishing species, Achatinella mustelina (Gastropoda: Pulmonata), in the Waianae Mountains of Oahu. Pacific Science 34(4): 345-358.
147. Halim, M.H. and Kvalvagnaes, K. (1980). Marine resources of the proposed Ujong Kulon National Park. Field Report 9. FO/INS/78/061, UNDP/FAO National Park Development Project. Bogor.
148. Hamilton, H.G.H. and Brakel, W.H. (1984). Structure and coral fauna of East African reefs. Bulletin of Marine Science 34: 248-266.
149. Hammner, W.M. and Jones, M.S. (1976). Distribution, burrowing and growth rates of the clam Tridacna crocea on interior reef flats. Oecologia (Berl.) 24: 207-227.
150. Hancock, D.L. (1982). A note on the status of Ornithoptera meridionalis tarunggarensis (Joicey and Talbot) (Lepidoptera: Papilionidae). Australian Entomological Magazine 8: 93-95.



151. Hancock, D.L. (1983). Classification of the Papilionidae (Lepidoptera): a phylogenetic approach. Smithersia 2: 1-48.
152. Harada, M. (1965). The capture of Papilio chikae. Tyo To Ga (Transactions of the Lepidopterists' Society of Japan) 16: 48-49.
153. Hardy, J.T. and Hardy, S.A. (1969). Ecology of Tridacna in Palau. Pacific Science 23: 467-472.
154. Harrison Gagn, B. (1981). Up a tree with the Manus green snail. Hawaiian Shell News 24(5) N.S. 257: 1, 8-9.
155. Hart, A.D. (1978). The onslaught against Hawaii's tree snails. Natural History 87(10): 46-57.
156. Hart, A.D. (1979). A survival status report on the endemic Hawaiian tree snail genus Achatinella from Oahu. Report to OES, U.S. Department of the Interior.
157. Haugum, J. and Low, A.M. (1978-1983). A Monograph of the Birdwing Butterflies 1(1): 1-84; (2): 85-192; (3): 193-308. 2(1): 1-104; (2): 105-240. Scandinavian Science Press, Klampenborg.
158. Haugum, J. and Low, A.M. (1985). A monograph of the birdwing butterflies. Vol. 2(3). Troides helena and aeacus groups. E.J. Brill, Leiden, Holland and Scandinavian Science Press, Klampenborg, Denmark. Pp 241-356.
159. Havlik, M.E. and Stansbery, D.H. (1977). The naiad mollusks of the Mississippi River in the vicinity of Prairie du Chien, Wisconsin. Bulletin of the American Malacological Union, Inc. 1977: 9-12.
160. Heath, J. (1981). Threatened Rhopalocera (Butterflies) in Europe. Council of Europe, Nature and Environment Series 23: 157 pp.
161. Heath, J. and Leclercq, J. (Eds) (1981). European Invertebrate Survey. Provisional Atlas of the Invertebrates of Europe, Maps 1-27. Institute of Terrestrial Ecology, Monks Wood and Facult des Sciences Agronomiques, Gembloux.
162. Hedlund, S.E. (1977). The extent of coral, shell and algal harvesting in Guam waters. University of Guam Marine Laboratory Technical Report 37: 34 pp.
163. Herter, K. (1968). Der medizinische Blutegel und seine Verwandte. In Die Neue Brehm-Bucherei, No. 381. Berlin, Wittenberg Lutherstadt, A. Ziemsen Verlag.
164. Heslinga, G.A., Perron, F.E. and Orak, O. (1984). Mass culture of giant clams (F. Tridacnidae) in Palau. Aquaculture 39: 197-215.
165. Heslinga, G.A. and Watson, T.C. (1985). Recent advances in giant clam mariculture. Proceedings of the 5th International Coral Reef Congress, Tahiti 5: 531-537.

- 69
166. Higgins, L.G. and Riley, N.D. (1980). A Field Guide to the Butterflies of Britain and Europe. 4th edition revised. Collins, London. 384 pp.
  167. Hirschberger, W. (1980). Tridacind clam stocks of Helen Reef, Palau, Western Caroline Islands. Marine fisheries Review 42: 8-15.
  168. Hoffman, J. (1955). Faune hirudin enne du Grand-Duche de Luxembourg. Institut Grand-Ducal, Section des Sciences Naturelles, physiques et mathematiques, Archives N.S. 22: 200-202.
  169. Hoffman, J. (1955). Signalement d'une importante station de Hirudo medicinalis L. au Grand-duche de Luxembourg. Institut Grand-Ducal, Section des Sciences naturelles, physiques et mathematiques, Archives N.S. 22: 213-222.
  170. Hoffman, J. (1960). Notules hirudinologiques, 2. Nouvelle Station de Hirudo medicinalis au Grand-Duch. Institut Grand-Ducal, Section des Sciences naturelles, physiques et mathematiques, Archives N.S. 27: 289.
  - 254-171. Holloway, J.D. (1978). Butterflies and moths. In Kinabalu Summit of Borneo. Sabah Society Monograph, 25-278.
  - 212-172. Igarashi, S. (1965). Papilio chikae, an unrecorded Papilionid butterfly from Luzon island, the Philippines. Tyo To Ga (Transactions of the Lepidopterists' Society of Japan) 16: 41-49.
  - 201-173. Igarashi, S. (1979). Papilionidae and Their Early Stages. (1): 219 pp.; (2): 102 pp of plates. Kodansha, Tokyo (in Japanese).
  174. Imlay, M.J. (1977). Competing for survival. Water spectrum 9(2): 7-14.
  175. Imlay, M.J. (1982). Use of Shells of freshwater mussels in monitoring heavy metals and environmental stress: A review. Malacological Review 15: 1-14.
  176. Isom, B.G., Gooch, C. and Dennis, S.D. (1979). Rediscovery of a presumed extinct river mussel, Dysnomia sulcata (Unionidae). The Nautilus 93(2-3): 84.
  177. IUCN (1984). Report on the distribution of habitats and species in the Saudi Arabian Red Sea. Parts 1 and 2. Report 4. Report to MEPA, Kingdom of Saudi Arabia. 123 pp and 151 pp.
  178. IUCN (1985). Distribution of habitats and species along the southern Red Sea coast of Saudi Arabia. Report II. Report to MEPA, Jeddah, Kingdom of Saudi Arabia.
  179. IUCN/UNEP (1984). Marine and coastal conservation in the East African Region: National Reports - Seychelles. No. 50.
  180. Jaap, W.C. (1984). The ecology of the South Florida coral reefs: a community profile. U.S. Fish and Wildlife Service, FWS OBS-82/08.

181. Janzon, L.A. and Bignert, A. (1979). Apollofjarilen i Sverige. Fauna Flora, Uppsala 74: 57-66.
182. Jazdzewska, T. (1983). Additional information on the status of the medicinal leech, Hirudo medicinalis L. in Poland and USSR. Unpublished report to IUCN. 4 pp.
183. Jensen, B. (1960). Laegeiglens (Hirudo medicinalis L.) forekomst i Danmark. Flora Fauna 66: 25-32.
184. Jim nez, J.M. and Garcia-Mas, I. (1980-81). Hirudineos de Espana: Catalogo provisional. Boln Soc. prt. Cienc. mat. 20: 119-125.
185. Johannes, R.E. (1975). Pollution and degradation of coral reef communities. In: Ferguson Wood, E.J. and Johannes, R. (Eds), Tropical Marine Pollution. Elsevier, Amsterdam.
186. Johnson, R.I. (1978). Systematics and zoogeography of Plagiola (=Dysnomia = Epioblasma), an almost extinct genus of freshwater mussels (Bivalvia: Unionidae) from middle north America. Bulletin of the Museum of Comparative Zoology 148(6): 239-320.
187. Johnson, R.I. (1980). Zoogeography of North American Unionacea (Mollusca: Bivalvia) north of the maximum Pleistocene glaciation. Bulletin of the Museum of Comparative Zoology 149(2): 77-189.
- 255 - 188. Johnston, G. and Johnston, B. (1980). This is Hong Kong Butterflies. Crown copyright, Hong Kong. 224 pp.
- 257 - 189. Jumalon, J.N. (1967). Two new papilionids. Philippine Scientist 1(4): 114-118.
- 213 - 190. Jumalon, J.N. (1969). Notes on the new range of some Asiatic papilionids in the Philippines. The Philippine Entomologist 1(3): 251-257.
191. Keve, (1968). Über die Arealveränderungen von Plegadis falcinellus (L.). Zoologische Abhandlungen Staatliches Museum für Tierkunde in Dresden 29(13): 169.
- 206 - 192. Kobayashi, H. and Koiwaya, S. (1978). A new species of Ornithoptera (Lepidoptera: Papilionidae) from West Irian. Transactions of the Himeji Natural History Association (special issue) 17 pp.
193. Kohn, A. (1971). Inshore marine habitats of some continental islands in the Eastern Indian Ocean. Atoll Research Bulletin 140: 1-29.
194. Kojis, B.L., Quinn N.J. and Claerboudt, M.R. (1985). Living coral reefs of northeast New-Guinea. Proceedings of the 5th International Coral Reef Congress, Tahiti 6: 323-328.
195. Kojis, B.L., Quinn N.J., Claerboudt, M.R., and Tseng, W.Y. (1984). Coral reefs of the Huon Gulf and Hansa Bay, Papua New Guinea. Paper presented at the joint meeting of the Atlantic Reef Committee and the International Society for Reef Studies, Advances in Reef Science, Miami, Florida, October 1984.

196. Koubkova, B. and Vojtkova, L. (1973). Zur Kenntnis der Tschechoslowakischen Hirudineenfauna. Folia Facultatis Scientiarum Naturalium Universitatis Purkynianae Brunensis Biologia 14: 103-118 (in Czech with German summary).
- 226-197. Kudrna, O. (1986). Grundlagen zu einem Artenschutzprogramm für die Tagfalterlingsfauna in Bayern und Analyse der Schutzproblematik in der Bundesrepublik Deutschland. Nachrichten ent. Verein für Apollo, Frankfurt, Suppl. 6: 1-90.
198. Laborel, J. (1974). West African reef corals; an hypothesis on their origin. Proceedings of the 2nd International Coral Reef Symposia 1: 425-443
199. Laycock, G. (1983). Vanishing Naiads. Andubon 85(1): 26-28.
- 249 - 200. Lekagul, B., Askins, K., Nabhitabhata, J. and Samruadkit, A. (1977). Field Guide to the Butterflies of Thailand. Association for the Conservation of Wildlife, Bangkok.
201. Lent, C. (1986). New medicinal and scientific uses of the leech. Nature 323: 494.
202. Lewis, J.B. (1974). The settlement behaviour of planulae larvae of the hermatypic coral Favia fragum (Esper). Journal of Experimental Marine Biology and Ecology 15: 165-172.
203. Lindegaard, C. (1979). A survey of the macroinvertebrate fauna, with special reference to Chironomidae (Diptera) in the rivers Laxa and Kraka, northern Iceland. Oikos 32: 281-288.
204. Löffler, H. (1974). Die Kleintierfauna des Schilfrtels. In: Der Neusiedlersee. Chapter 12. Verlag Fritz Molden, Wien.
205. Lopez, M.D.G. and Heslinga, G.A. (1985). Effect of dessication on Tridacna derasa seed: implications for long distance transport. Aquaculture 49: 363-367.
206. Lott, C., Mitchell, B. and Rollings, M. (1984). Coral reefs of the Turks and Caicos Islands. Report prepared for the IUCN Coral Reef Directory.
- 247 - 207. Low, A.M. and Haugum, J. (1983). Trogonoptera brookiana natunensis Rothsch. 1908. Papilio International 1(1): 11-15.
208. Lukin, E.I. (1957). On the distribution of the medicinal leech in the U.S.S.R. Zoologicheskii Moskva 36: 658-669 (in Russian).
209. Lukin, E.I. (1976). Leeches of fresh and brackish water-bodies. In: Fauna of the U.S.S.R. 1. Leningrad, Nauka.
- 210 - 210. Macfarlane, R. (1985). Insect farming and trading - Solomon Islands. Papilio International 2(3-4): 127-129.
211. Mandal, D.K. (1984). Notes on the Papilionidae of Arunachal Pradesh, North-east India. Papilio International 1(4): 76-81.
212. Maquet, B. (1985). La sangsue medicinale, Hirudo medicinalis (L.), une espece dont le statut est incertain en Belgique. Les Naturalistes Belges 66(2): 32-42.



213. Marszalek, D.S., Babashoff, G., Noel, M.R. and Worley, D.R. (1977). Reef distribution in South Florida. Proceedings of the 3rd International Coral Reef Symposium, Miami 2: 223-229.
214. Mart nez, P. (1982). Trade in other animal parts. Coral Jewellery and C. In: Informe Anual Estacion cientifica Charles Darwin: 209-220.
215. Mathias, J.A. and Langham, N.P.E. (1978). Coral Reefs. Chap. 5. In: Chua, T.E. and Mathias, J.A. (Eds).
216. McCain, J.C., Tarr, A.B., Carpenter, K.E. and Coles, S.L. (1984). Marine Ecology of Saudi Arabia. A survey of coral reefs and reef fishes in the Northern Area, Arabian Gulf, Saudi Arabia. Fauna of Saudi Arabia 6: 102-126.
217. McCarthy, T.K. (1975). Observations on the distribution of the freshwater leeches (Hirudinea) of Ireland. Proceedings of the Royal Irish Academy 75B: 401-451.
218. McKoy, J.L. (1980). Biology, exploitation and management of giant clams (Tridacnidae) in the Kingdom of Toga. Fisheries Bulletin, Tonga (1): 61.
219. McManus, J.W., Miclat, R.I. and Palaganas, V.P. (1981). Coral and Fish community structure of Sombrero Island, Batangas, Philippines. Proceedings of the 4th International Coral Reef Symposium, Manila 2: 271-280.
220. McMichael, D.F. (1975). Growth rate, population size and mantle colouration in the Small Giant Clam Tridacna maxima (Roding) at One Tree Island, Capricorn Group, Queensland. In: Proceedings of the 2nd International Coral Reef Symposium 1. Great Barrier Reef Committee, Brisbane: 241-254.
221. McMillan, W. (1979). Channelization threatens otters, mussels, Little Black. Ozark Guardian September 1979: 2-3.
222. McIntyre, I.G. and Glynn, P.W. (1976). Evolution of a modern Caribbean fringing reef, Galeta Point, Panama. American Association Petrol. Geol. Bulletin 60(7): 1054-1072.
223. McIntyre, I.G., Raymond, B. and Stuckenrath, R. (1983). Recent history of a fringing reef, Bahia Salina de Sur, Vieques Island, Puerto Rico. Atoll Research Bulletin 268.
224. Meads, M.J., Walker, K.J. and Elliott, G.P. (1984). Status, conservation, and management of the land snails of the genus Powelliphanta (Mollusca: Pulmonata). New Zealand Journal of Zoology 11: 277-306.
225. Mell, R. (1938). Beitr ge zur Fauna Sinica. Deutsche Entomologische Zeitschrift 17: 197-345.
226. Mergner, H. and Scheer, G. (1974). The physiographic zonation and the ecological conditions of some south Indian and Ceylon reefs. Proceedings of the 2nd International Coral Reef Symposium, Brisbane 2: 3-30.



227. Mergner, H. and Schumacher, H. (1974). Morphologie, Okologie, and Zonierung von Korallenriffen bei Aqaba (Golf von Aqaba, Rotes Meer). Helgolander Wissenschaftliche Meeresuntersuchungen. Helgoland 26: 238-358.
228. Mikkola, K. (1981). Extinct and vanishing Lepidoptera in Finland. Beiheft Veröffentlichungen Naturschutz Landschaftspflege Baden-Württemberg 21: 175-176.
229. Miller, J.S. (in press). [Classification of the Papilionidae - full title not supplied]. Bulletin of the American Museum of Natural History.
230. Minelli, A. (1977). Irudinei (Hirudinea). Guide per il riconoscimento della specie animali delle acque interne Italiane. Verona, Consiglio Nazionale delle Ricerche.
231. Minelli, A. (1979). Sanguisughe d'Italia. Catalogo orientativo e considerazioni biogeografiche. Lavori della Società Italiana di Biogeografia. Forlì N.S. 4: 279-313.
232. Ministry of Natural Resources and Public Health (1979). Endangered Animals and Plants (Protection of Black Coral) Order, 1979. Government Information Service News Release.
233. Mitchell, G.A. (undated). The National Butterflies of Papua New Guinea. Wildlife Branch Department of Natural Resources, Papua New Guinea. 16 pp.
234. Munro, J.L. (1983). Giant clams - food for the future? ICLARM Newsletter 6(1): 3-4.
235. Munro, J.L. (1986). Status of giant clam stocks and prospects for clam mariculture in the central Gilbert Islands group, Republic of Kiribati. ICLARM Report to the Fisheries Division, Ministry of Natural Resources Development, Kiribati and the South Pacific Regional Fisheries Development Programme, UNDP, SUVA, Fiji.
236. Munro, J.L. (in press). Fisheries for giant clams (Tridacnidae: Bivalvia) and prospects for stock enhancement. In: Caddy, J.F. (Ed.). Scientific approaches to management of shellfish resources. John Wiley and Sons, New York.
237. Munro, J.L. and Heslinga, G.A. (1983). Prospects for the commercial cultivation of Giant Clams (Bivalvia: Tridacnidae). Proceedings of the Gulf and Caribbean Fisheries Institute 35: 122-134.
238. Neves, R.J., Pardue, G.B., Benfield, E.F. and Dennis, S.D. (1980). An Evaluation of Endangered Mollusks in Virginia. Virginia Commission of Game and Inland Fisheries, Fish Division. Final Report. Project No. E-F-I. 140 pp.
239. Newell, N.D., Imbrie, P., Purdy, E.G. and Thurber, D.C. (1959). Organism communities and bottom facies, Great Bahamas Bank. Bulletin of the American Museum of Natural History. New York 117(11): 177-228.

240. Nilssen, J.P. (1980). Acidification of a small watershed in southern Norway and some characteristics of acidic aquatic environments. Internationale Revue des Gesamten Hydrobiologie 65: 177-207.
241. Noome, C. and Kristensen, I. (1975). Necessity of conservation of slow growing organisms like Black Coral. CCA Ecology Conference, Bonaire, Netherlands Antilles National Parks Foundation. Stinappa II: 76-77
242. Nordstrom, G.R., Pflieger, W.L., Sadler, K.C. and Lewis, W.H. (1977). Rare and Endangered Species of Missouri. Missouri Department of Conservation and U.S. Department of Agriculture Soil Conservation Service.
243. Ogle, C.C. (1979). Critical status of Placostylus and Paryphanta land snails in the Far North. New Zealand Wildlife Service, Wellington. Fauna Survey Unit Report 14: 1-6.
- 245- 244. Okano, K. (1983). Some ecological notes on Teinopalpus. Tokurana (Acta Rhopalocerologica) 5: 94-1100 (in Japanese).
- 156 245. Okano, K. (1984). Color illustration of Bhutanitis mansfieldi (Riley, 1940) (Papilionidae): with some notes on the same species. Tokurana (Acta Rhopalocerologica) 6/7: 61-65.
246. Olivares, M.A. (1971). Estudio taxonomico de algunos madreporarios del Golfo de Cariaco, Sucre - Venezuela. Boletin del Instituto Oceanografico. Universidad de Oriente. Cumana. 10(2): 73-78.
247. Oliver, J. and McGinnity, P. (1985). Commercial coral collecting on the Great Barrier Reef. Proceedings of the 5th International Coral Reef Symposium 5: 563-567.
248. Opresko (1972). Antipatharia. Bulletin of Marine Science 22(4): 950-1017.
249. Ormond, R.F.G. (1981). Report on the Need for Management and Marine Parks in the Egyptian Red Sea. Institute of Oceanography and Fisheries, Academy of Sciences, Cairo.
- 235- 250. Palik, E. (1980). The protection and reintroduction in Poland of Parnassius apollo (Linnaeus) (Papilionidae). Nota Lepidopterologica 2: 163-164.
- 236 - 251. Palik, E. (1981). The conditions of increasing menace for the existence of certain Lepidoptera in Poland. Beiheft Veroffentlichungen Naturschutz Landschaftspflege Baden-Wurttemberg 21: 31-33.
252. Parker, S.P. (1982). Synopsis and Classification of Living Organisms. McGraw-Hill, London.
253. Parrot, R.E. (1985). A new subspecies of Ornithoptera priamus, Linn. from Gebe Island, Indonesia. Papilio International 2(3-4): 131-142.
- 193 254. Parrott, R.E. and Deslisle, G. (1986). New and interesting forms of birdwing butterflies. Part 1, Ornithoptera, subgenus Schoenbergia. Papilio International 2 Supplement: 147-168.

- 192 255. Parsons, M.J. (1983). A conservation study of the birdwing butterflies Ornithoptera and Troides (Lepidoptera: Papilionidae) in Papua New Guinea. Final Report to the Department of Primary Industry, Papua New Guinea. 111 pp.
256. Pasternak, F.A. (1977). Antipatharia. Galathea Report 14: 157-164.
- 207 257. Pasternak, J. (1981). On the rediscovery of Ornithoptera meridionalis tarunggarensis Joicey and Talbot on a new locality in Kamrau Bay, South West Irian Jaya, Indonesia. Transactions of the Himeji Natural History Association 1981: 2-14.
- 199 258. Pasternak, J. (1986). Western Ornithoptera (Schoenbergia) meridionalis two forms of subspecies tarunggarensis?. Papilio International 3(1-2): 185-189.
259. Pauls, S.M. (1982). Estructura de las comunidades coralinas de la Bahia de Mochima, Venezuela. M.Sc. thesis. Universidad de Oriente. Cumana, Venezuela. 124 pp.
260. Pearson, R.G. (1977). Impact of foreign vessels poaching giant clams. Australian Fisheries 36(7): 8-11.
- 194 261. Pen, D. (1936). The Papilionidae of south-western Szechwan. Journal of the West China Border Research Society 8: 153-165.
262. Pernetta, J. (1987). Giant clams: A new potential food source in tropical small island states or another source of biological contamination? Science in New Guinea 13(2): 92-96.
263. Pflieger, W.L. (1974). Animal Kingdom. In: Rare and Endangered Species of Missouri. Missouri Department of Conservation and U.S. Department of Agriculture and Soil Conservation Service.
264. Pichon, M. (1972). The Coral reefs of Madagascar. In: Richard-Vindard, G. and Battistini, R. (Eds), Biogeography and Ecology of Madagascar. Monogr. biol., Junk, The Hague. Pp. 367-410.
265. Pichon, M. (1977). Physiography, morphology and ecology of the double barrier reef of North Bohol (Philippines). Proceedings of the 3rd International Coral Reef Symposium 2: 261-267.
266. Pillai, C.S.G. (1967). Studies on Indian corals. 1. Report on a new species of Montipora (Scleractinia, Acroporidae). Journal of the Marine Biological Association of India. Madras 9: 399-401
267. Pillai, C.S.G. (1967). Studies on Indian corals. 2. Report on a new species of Goniopora and three new species of Porites (Scleractinia, Poritidae). Journal of the Marine Biological Association of India. Madras 9: 402-406.
268. Pillai, C.S.G. (1967). Studies on Indian corals. 5. Preliminary reports on new records of hermatypic corals of the suborder Astracoeniina. Journal of the Marine Biological Association of India. Madras 9: 412-422

269. Pillai, C.S.G. (1973). Coral resources of India with special reference to Palk Bay and Gulf of Mannar. Proceedings of a Symposium on Living Resources of the Sea around India. ICAR Special Publication Central Fisheries Research Institute. Cochin.
270. Pillai, C.S.G. and Scheer, G. (1974). On a collection of Scleractinia from the straits of Malacca. Proceedings of the 2nd International Coral Reef Symposium, Brisbane 1: 445-464.
271. Pillai, C.S.G. and Scheer, G. (1976). Report on the stony corals from the Maldivé Archipelago. Zoologica 126: 1-83.
272. Pilsbry, H.A. and Cooke, C.M. Jr. (1912-1914). Achatinellidae. Manual of Conchology 2(22).
273. Pitman, R.W. (1977). Manus Island's green tree snails at home. Hawaiian Shell News 25(4), N.S. 208: 9-10.
274. Porter, J.W. (1972). Ecology and species diversity of coral reefs on opposite sides of the isthmus of Panama. Washington Biological Society Bulletin 2: 89-116.
275. Powell, A.W.B. (1976). Shells of New Zealand. 5th revised edition. Whitcoulls Ltd., Christchurch, New Zealand.
276. Powell, A.W.B. (1979). New Zealand Mollusca: marine, land and freshwater shells. Collins, Auckland. 500 pp.
277. Procter, J. and Salm, R.V. (1974). Conservation in Mauritius. Report to IUCN.
- 202 - 278. Pyle, R.M. and Hughes, S.A. (1978). Conservation and utilisation of the insect resources of Papua New Guinea. Report of a consultancy to the Wildlife Branch, Department of Nature Resources, Independent State of Papua New Guinea. 157 pp. Unpublished.
- 203 - 279. Racheli, T. (1980). A list of the Papilionidae (Lepidoptera) of the Solomon Islands, with notes on their geographical distribution. Australian Entomological Magazine 7: 45-59.
- 204 - 280. Racheli, T. (1984). Further notes on Papilionidae from the Solomon Islands. Papilio International 1: 55-63.
- 207 - 281. Rakosy, L. (1983). Problema ocrotirii Lepidopterelor in Romania, exemplificari din Judetul Cluj. Ocrotirea Naturii med. inconj. 1. 27, nr. 1: 32-36. Bucuresti.
282. Ramirez-Villaroel, P.J. (1978). Fauna coralina de la Isla Cubagua, Venezuela. Trabajo de Ascenso, Departamento de Ciencias, Universidad de Oriente, Gutamare, Isla de Margarita, Venezuela. 58 pp.
283. Ramadoss, K. (1983). Giant clam resources. In: K. Alagarswami (Ed.), Mariculture potential of the Andaman and Nicobar Islands - an indicative survey. Central Marine Fisheries Research Institute (CMFRI) Bulletin 34: 108.



284. Randall, R.H. (1982). Corals. In: Randall, R.H. and Eldredge, L.G. (Eds), Assessment of the shoalwater environments in the vicinity of the proposed OTEC development at Cabras Island, Guam. University of Guam Marine Laboratory Technical Report 79: 63-106.
285. Riley, N.D. (1975). A Field Guide to the Butterflies of the West Indies. Collins, London. 244 pp.
286. Rinkevich, B. and Loya, Y. (1979). The reproduction of the Red Sea coral Stylophora pistillata I. Gonads and planulae. Marine Ecology Progress Series 1, 1(2): 133-144.
287. Roberts, H.H. (1972). Coral reefs of St. Lucia, West Indies. Caribbean Journal of Science 12: 179-190.
288. Roberts, R.J. (1983). Saving the freshwater mussel. Nature 303(3): 13.
289. Robinson, A.H. and Henle, F. (1978). Virgin Islands National Park, The Story Behind the Scenery. K.C. Publications, Nevada.
290. Robinson, G. (1982). Antipatharian corals (Black corals) of the Galapagos Islands: biology, distribution and abundance. Project proposal.
- 352 - 291. Robinson, J.C. (1975-6). Swallowtail butterflies of Sabah. Sabah Society Journal 6: 5-22.
292. Rogers, C.S. (1982). The marine environments of Brewers Bay, Perseverance Bay, Flat Cay and Saba Island, St. Thomas, U.S. Virgin Islands, with emphasis on coral reefs and sea grass beds. 181 pp.
293. Rogers, C.S., Gilnak, M. and Fitz, III, H.C. (1983). Monitoring of coral reefs with linear transects: a study of storm damage. Journal of Experimental Marine Biology and Ecology. Amsterdam 66: 285-300.
294. Rosen, B.R. (1971). Principal features of reef coral ecology in shallow water environments in Mah , Seychelles. In: Stoddart, D.R. and Yonge, C.M. (Eds), Regional Variation in Indian Ocean Coral Reefs. Symposia of the Zoological Society of London, 28. Academic Press, London. Pp. 163-184.
295. Rosewater, J. (1965). The family Tridacnidae in the Indo-Pacific. Indo-Pacific Mollusca 1(6): 347-396.
296. Rosewater, J. (1982). A new species of Hippopus (Bivalvia: Tridacnidae). The Nautilus 96(1): 3-6.
297. Ross, M. and Hodgson, G. (1981). A quantitative study of hermatypic coral diversity and zonation at Apo Reef, Mindoro, Philippines. Proceedings of the 4th International Coral Reef Symposium, Manila 2: 281-291.
298. Rossi, L. (1971). Guida a cnidari e ctenofora della fauna italiana. Quaderni della Civica Stazione Idrobiologica in Milano. 101 pp.



299. Roule, L. (1905). R sultats des Campagnes Scientifiques accomplies sur son Yacht par Albert I, Prince de Monaco. 30: 92-95.
300. Russev, B. and Janeva, I. (1976). Review of the specific composition, distribution, ecology and index significance of leeches in Bulgaria. Hhidrobiologiya, Sofia 3: 40-56.
301. Russev, B. and Marinov, T. (1964). Uber die Polychaten und Hirudineen-Fauna im bulgarischen Sektor der Donau. Izvestiya na Zoologicheskiya Institut. Bulgarska Akademiya na Naukite. Sofiya 15: 191-197 (in Bulgarian).
302. Ryland, J.S. (1981). Reefs of south-west Viti Levu and their tourism potential. Proceedings of the 4th International Coral Reef Symposium, Manila 1: 293-298.
- 157-303. Saigusa, T. and Lee, C.-L. (1982). A rare papilionid butterfly Bhutanitis mansfieldi (Riley), its discovery, new subspecies and phylogenetic position. Tyo to Ga (Journal of the Lepidopterists' Society of Japan) 33: 1-24.
- 219-304. Sala, G. (1987). A new form of Papilio hospiton G ne 1831. Papilio International 3(4):210-211.
305. Salm, R.V. (1976). The structure and successional status of three coral reefs at Mauritius. Proceedings of the Royal Society of Arts and Sciences of Mauritius. Port Louis 3: 227-240.
306. Salm, R.V. (1977). A Guide to Snorkelling and Diving in the Seychelles. Octavian Books, London. 60 pp.
307. Salm, R.V. (1981). Heads we swim, tails we lose. Conservation Indonesia 5(3-4): 12-14.
308. Salm, R.V. (1985). Proposed Bandar Jissah Marine Recreation and Conservation Area. IUCN, Gland, Switzerland. 29 pp.
309. Salm, R.V. and Sheppard, C.R.C. (1986). Corals and coral reefs of the capital area, Oman. IUCN, Gland, Switzerland. 15 pp
310. Salm, R.V., Halim, I.M. and Abdullah, A. (1982). Proposed Pulau Seribu Marine National Park: combining conservation and tourism development. Paper presented at World national Parks Congress, Bali, Indonesia, 14 October 1982.
311. Salvat, B. (1969). Dominance biologique de quelques mollusques dans les atolls fermes (Tuamotu, Polynesie): phenomene recent consequences actuelles. Malacologia 9: 187-189.
312. Salvat, B., Richard, G., Toffart, J.L., Ricard, M. and Galzin, R. (1977). Reef lagoon complex of Lakeba Island (Law group - Fiji): geomorphology, biotic associations and socio-ecology. Proceedings of the 3rd International Coral Reef Symposium 2: 297-303.
313. Sapkarev, J.A. (1970). The fauna of Hirudinea of Macedonia. The taxonomy and distribution of leeches of Aegean lakes. Internationale Revue der Gesamten Hydrobiologie und Hydrogeographie. Leipzig 55: 317-324.

314. Sawyer, R.T. (1976). The medicinal leech Hirudo medicinalis L., an endangered species. In: Forsythe, D.M. and Ezell, W.B. Jr. (Eds), Proceedings of the First South Carolina Endangered Species Symposium. November 11-12, Charleston, S. Carolina. 103-106 pp.
315. Sawyer, R.T. (1981). Why we need to save the Medicinal Leech. Oryx 16(2): 165-168.
316. Sawyer, R.T. (1986). Leech Biology and Behaviour. Volume II. Clarendon Press, Oxford, 430 pp.
317. Sawyer, R.T. and Leake, L.D. (Eds) (1986). International Conference. Leech Newsletter (British Association of Leech Scientists 1.
318. Scheer, G. (1971). Coral reefs and coral genera in the Red Sea and Indian Ocean. In: Stoddart, D.R. and Yonge, C.M. (Eds), Regional Variation in Indian Ocean Coral Reefs. Symposia of the Zoological Society of London 28: 329-367. Academic Press, London.
319. Scheer, G. (1972). Investigations of coral reefs in the Maldive Islands with notes on lagoon patch reefs and the method of coral sociology. Proceedings of the Corals and Coral Reefs 1969 (Marine Biological Association of India, Madras). Pp. 87-120.
320. Scofield, A.M. (1981). A Checklist of the Helminth Parasites of Domestic Animals in the United Kingdom. Hoechst U.K., Ltd., (Animal Health Division), Milton Keynes.
321. Severns, R.M. (1981). Growth rate of Achatinella lila, a Hawaiian tree snail. Nautilus 95(3): 140-143.
322. Sheppard, C. (undated). Generic guide to common corals. Underwater Conservation Society. 12 pp.
323. Sheppard, C.R.C. (1985). Report on reefs and other hard substrates of Bahrain. ROPME critical habitat survey of Bahrain 1985, Environmental Protection Technical Secretariat, Bahrain.
324. Shinn, E.A. (1963). Spur and groove formation on the Florida Reef Tract. Journal of Sedimentary Petrology. Menasha 33(2): 291-303.
325. Shinn, E.A. (1976). Coral reef recovery in Florida and the Persian Gulf. Environmental Geology 1: 241-254.
- 251 - 326. Shirozu, T. (1960). Butterflies of Formosa in Colour. Hoikusha. Osaka, Japan (in Japanese). 483 pp.
327. Sineva, M.V. (1944). (Observations on breeding the medicinal leech). Zoologicheski Zhurnal. Moskva 23(6): 293-303.
328. Smith, A. (1983). Observations on the marine plants and hermatypic corals of Maria Island, St. Lucia. Report to ECNAMP.
- 22 329. Smith, C. (1975). Commoner Butterflies of Nepal. Tribhuvan University, Kathmandu, Nepal. 38 pp.

330. Smith, C. (1978). Scientific List of Nepals Butterflies. Journal of Natural History Museum 2(3): 127-185.
331. Spitzer, K. (1983). Seasonality of the butterfly fauna in southeastern Vietnam (Papilionoidea). The Journal of Research on the Lepidoptera 22(2): 126-130.
332. Spurr, E.B. (1985). Distribution and abundance of large land snails. In: M.R. Davis and J. Orwin (Eds), Report on a survey of the proposed Wapiti area, West Nelson. FRI Bulletin 84: 203-209.
- 206 - 333. Stahl, G. (1979). Ripponia hypolitus Cramer. A description of the form 'antiope' from Halmahera, and a new form from Obi. Lepidoptera Group of '68 Newsletter II(5): 135-139.
334. Stankovic, S. (1960). Hirudinea. In: The Balkan Lake Ohrid and its living world. Chapter 5. Biogeography. Monographiae Biologicae, 9. The Hague, Junk.
335. Stansbery, D.H. (1961). A century of change in the naiad population of the Scioto River system in central Ohio. Annual Reports of the American Malacological Union : 20-22.
336. Stansbery, D.H. (1964). The Mussel (Muscle) Shoals of the Tennessee River revisited. Annual Reports of the American Malacological Union 1964: 25-28.
337. Stansbery, D.H. (1969). Changes in the Naiad fauna of the Cumberland River at Cumberland Falls in Eastern Kentucky. Annual Reports of the American Malacological Union 1969: 16-17.
338. Stansbery, D.H. (1970). Eastern freshwater mollusks (1). The Mississippi and St. Lawrence River systems. In Clark, A.H. (Ed.), Papers on rare and endangered mollusk of North America. Malacologia 10(1): 9-20.
339. Stansbery, D.H. (1971). Rare and endangered mollusks in the Eastern United States. In: Jorgensen, S.E. and Sharp, R.W. (Eds), Proceeding of a Symposium on the rare and endangered mollusks (naiads) of the U.S.A. Department of the Interior, Fish and Wildlife Service.
340. Stansbery, D.H. (1972). A preliminary list of the naiad shells recovered from the Buffalo site. Appendix A (105-106). In: Brogles, B.J. (Ed.), A late 17th Century Indian Village Site (46 Pu 31) in Putnam County, West Virginia. Report of Archaeological Investigations No. 5, West Virginia Geological and Economic Survey, Morgantown, West Virginia.
341. Stansbery, D.H. (1973). A preliminary report on the naiad fauna of the Clinch River in the Southern Apalachian mountains of Virginia and Tennessee (Mollusca: Bivalvia: Unionoida). Bulletin of the American Malacological Union, Inc. 38th Annual Meeting, 1972: 20-22.
342. Stansbery, D.H. (1976). Naiad Mollusks. In: Boschung, H. (Ed.), Endangered and threatened plants and animals of Alabama. Bulletin of the Alabama Museum of Natural History 2: 42-52.

343. Stansbery, D.H. (1976). The occurrence of endangered species of raised molluscs in Lower Allum and Big Walnut Creeks. Report to Ohio Department of Transportation. OSUMZ Report 17.
344. Stansbery, D.H. (1976). *Quadrula sparsa* (Lea, 1841). In: Status of Endangered fluviatile mollusks in central North America. U.S. Department of the Interior, Fish and Wildlife Service, Bureau of Sports Fisheries and Wildlife. Washington, D.C. Contract No. 14-16-0008-755. 6 pp.
345. Stansbery, D.H. and Clench, W.J. (1974). The Pleuroceridae and Unionidae of the Middle Fork Holston River in Virginia. Bulletin of the American Malacological Union, Inc.: 51-54.
346. Stansbery, D.H. and Clench, W.J. (1977). The Pleuroceridae and Unionidae of the Upper South Fork Holston River in Virginia. Bulletin of the American Malacological Union, Inc.: 75-78.
347. Stephanides, T. (1948). A survey of the freshwater biology of Corfu and of other regions of Greece. Praktika tou Ellenikou 'Udrobiologikou Institoutou. Athenai 2: 156.
348. Stoddart, D.R. and Fosberg, F.R. (1981). Bird and Dennis Islands Seychelles. Atoll Research Bulletin 252: 1-50.
349. Storr, J.F. (1964). Ecology and oceanography of the coral reef tract, Abaco Island, Bahamas. Special Papers. Geological Society of America. New York 79: 1-98.
350. Strayer, D. (1980). The freshwater mussels (Bivalvia: Unionidae) of the Clinton River, Michigan with comments on man's impact on the fauna, 1870-1978. The Nautilus 94(4): 142-149.
- 228- 351. Suomalainen, E.; Kaisila, J. and Mikkola, K. (1980). Notheworthy records of Finnish Lepidoptera 1955-1974. 1. Hesperioidea, Papilionoidea, Bombycoidea and Geometroidea. Notulae Entomologicae 60: 49-61.
352. Sy, J.C., Herrera, F.S. and Mc Manus, J.W. (1981). Coral community structure of a fringing reef at Mactan Island, Cebu, Philippines. Proceedings of the 4th International Coral Reef Symposium, Manila 2: 263-269.
- 243- 353. Talbot, G. (1939). The Fauna of British India, including Ceylon and Burma. Butterflies Vol. 1. Taylor and Francis Ltd., London, reprint New Delhi 1975. 600 pp.
354. Tennessee Valley Authority (1978). Virginia Mollusk Survey. Contract Report. July 1, 1977 - June 30, 1978. Division of Forestry, Fisheries, and Wildlife Development. Norris, Tennessee 3728.
355. Thomassin, B.A. and Coudray, J. (1981). Presence of wide hard ground areas on lagoonal bottoms of the coral reef complex of Noumea (south-west New Caledonia). Proceedings of the 4th International Coral Reef Symposium, Manila 1: 512-522.
356. Tongilava, S.L. (1979). Development and management of marine parks and reserves in the Kingdom of Tonga. Proceedings of the 2nd South Pacific Conference on National Parks and Reserves.



357. Tsukada, E. and Nishiyama, J. (1982). Butterflies of the South East Asian Islands. Vol.1 Papilionidae. (transl. K. Morishita) Plapac Co. Ltd., Tokyo. 457 pp.
358. Turner, T.W. (1983). The status of the Papilionidae, Lepidoptera of Jamaica with evidence to support the need for conservation of Papilio homerus Fabricius and Eurytides marcellinus Doubleday. Unpublished report. 14 pp.
359. Tvermyr, S. (1965). Legeiglen (Hirudo medicinalis L.) finnes unna frittevende i Aust-Agder. Fauna, Oslo 18: 136-139.
360. UNDP/FAO (1979). Preliminary report on marine conservation in Bali. Field Report 7. UNDP/FAO National Park Development Project INS/78/061, Bogor.
361. UNDP/FAO (1982). Marine conservation potential Togian Islands, Central Sulawesi. Field Report 37. UNDP/FAO National Parks Development Project INS/78/061, Bogor.
362. UNEP/IUCN (1987). Directory of Coral Reefs of International Importance. Vol.1. Atlantic and Eastern Pacific. UNEP Regional Seas Directories and Bibliographies. FAO, Rome. 666 pp.
363. UNEP/IUCN (1987). Directory of Coral Reefs of International Importance. Vol.2. Indian Ocean, Red Sea and Gulf. UNEP Regional Seas Directories and Bibliographies. FAO, Rome. 726 pp.
364. UNEP/IUCN (in prep.). Directory of Coral Reefs of International Importance. Vol.3. Central and Western Pacific. UNEP Regional Seas Directories and Bibliographies. FAO, Rome.
365. University of Guam Marine Laboratory (1977). Marine environmental baseline report, Commercial Port, Apra Harbour, Guam. University of Guam Marine Laboratory Technical Report 34: 96 pp.
366. U.S. Department of the Interior (1981). Endangered and threatened wildlife and plants; listing the Hawaiian (Oahu) tree snails of the genus Acathinella as Endangered Species. Federal Register 46(8): 3178-3182.
367. U.S. Department of the Interior (1984). Recovery plans approved for five mollusks. Endangered Species Technical Bulletin 9(1): 7-12.
368. U.S. Fish and Wildlife Service (1976). Endangered status for 159 taxa of animals. Federal Register 41(115): 24062-24067.
369. U.S. Fish and Wildlife Service (1977). Endangered and threatened wildlife and plants. Determination that the Tan Riffle Shell is an Endangered Species. Federal Register 42(163): 42351-42353.
370. U.S. Fish and Wildlife Service (1984). Endangered and threatened wildlife and plants; Removal of Epioblasma (=Dysnomia) sampsoni, Sampson's Pearly Mussel, from the list of Endangered and Threatened Wildlife. Federal Register 49(5): 1057-1058.
371. Usher, G. and Salm, R.V. (1984). From filmstar to floor tile. Voice of Nature 20: 12-13.



372. Usher, G.F. (1984). Coral reef invertebrates in Indonesia: their exploitation and conservation needs. IUCN/WWF Report No. 2, Bogor, Indonesia, 100 pp.
373. Van der Land, J. and Sukarno (1986). The Snellius II Expedition. Progress Report. Theme 4. Coral Reefs. Part 1. R.V. Tyro and K.M. Samudera. Sept.-Nov. 1984. Royal Netherlands Academy of Arts and Sciences and Indonesian Institute of Sciences.
374. Van der Schalie, H. (1975). An ecological approach to rare and endangered species in the Great Lakes region. Michigan Academy 8(1): 7-22.
375. Van't Hof, T. (1982). Bonaire Marine Park: an approach to coral reef management in small islands. IUCN Third World National Parks Congress, Bali, October 1982.
376. Veron, J.E.N. (1974). Southern Geographic limits to the distribution of Great Berrier Reef hermatypic corals. Proceedings of the 2nd International Coral Reef Symposium, Brisbane 1: 465-473.
377. Veron, J.E.N. (1986). Corals of Australia and the Indo-Pacific. Angus and Robertson.
378. Veron, J.E.N. and Pichon, M. (1976). Scleractinia of Eastern Australia Part 1. Families Thamnasteriidae, Astrocoeniidae, Pocilloporidae. Australian Institute of Marine Science Monograph Series 1: 86 pp.
379. Veron, J.E.N. and Pichon, M. (1980). Scleractinia of Eastern Australia. Part 3. Families Agariciidae, Siderastreidae, Fungiidae, Oculinidae, Merulinidae, Mussidae, Pectiniidae, Caryophylliidae, Dendrophyllidae. Australian Institute. Marine Science Monograph Series 1: 459 pp.
380. Veron, J.E.N., Pichon, M. and Wijsman-Best, M. (1977). Scleractinia of East Australia, Part 2. Families Faviidae, Trachyphyllidae. Australian Institute of Marine Science Monograph Series 3: 233 pp.
381. Villamil, J., Canals, M., Silander, S., del Llano, M., Martinez, R., Garcia, A., Molinares, A., Gonzialez, J., Questell, E., P rez, M. and Rivera, M. (1980). Suplemento Tecnico para la Reserva Natural Caja de Muertos. Departamento de Recursos Naturales, Puerto Rico: 246 pp.
382. Vine, P.J. and Vine, M.P. (1980). Ecology of Sudanese coral reefs with particular reference to reef morphology and distribution of fishes. Proceedings of the Symposium of Coastal and Marine environment of the Red Sea, Gulf of Aden and Tropical Western Indian Ocean, Khartoum 1: 87-140.
383. Walker, K.J. (1982). A survey of the distribution and density of Powelliphanta annectens in North-west Nelson. New Zealand Wildlife Service, Department of Internal Affairs, Wellington. Fauna Survey Unit Report 31: 23 pp.

384. Walker, K.J. (1982). Distribution and status of Powelliphanta land snails in the Mokihiui State Forest, and recommendations for conservation reserves. New Zealand Wildlife Service. Wellington. Fauna Survey Unit Report 34: 10 pp.
385. Wallace, C.C. (1978). The coral genus Acropora (Scleractinia: Astrocoeniina: Acroporidae) in the central and southern Great Barrier Reef province. Memoirs Queensland Museum 18(2): 273-319.
386. Wankowski J.W.J. (1979). Report on a preliminary survey of Nuguria, Nukumann and Takuu Atolls. Mimeo Reports, Research and Surveys Branch, DP1 Fisheries, P.N.G. 27 pp.
387. Warner, G.F. (1981). Species descriptions and ecological observations of black corals (Antipatharia) from Trinidad. Bulletin of Marine Science 31(1): 147-163.
388. Welch, D'alte A. (1938). Distribution and variation of Achatinella mustelina Mighels, in the Waianae Mountains, Oahu. Bernice P. Bishop Museum Bulletin. Honolulu 152: 164 pp.
389. Welch, D'alte A. (1942). Distribution and variation of the Hawaiian tree snail Achatinella apexfulva in the Koolau Range, Oahu. Smithsonian Miscellaneous Collections. Washington 103(1): 1-230.
390. Wells, J.W. (1950). Reef corals from the Cocos-Keeling atolls. Bulletin of the Raffles Museum. Singapore 22: 29-52
391. Wells, J.W. (1966). Evolutionary development in the scleractinian Family Fungiidae. Symposia of the Zoological Society of London 16: 223-246.
392. Wells, J.W. (1972). Notes on Indo Pacific scleractinina corals. Part 8. Scleractinina corals from Easter Island. Pacific Science 26: 183-190.
393. Wells, S. and Coombes, W. (1987). The status and trade in the Medicinal Leech. Traffic Bulletin 8(4): 64-69.
394. Wells, S.M. (1981). Giant clams - a case for CITES listing. Traffic Bulletin 3(6): 60-64.
395. Wells, S.M., Pyle, R.M. and Collins, N.M. (1983). The IUCN Invertebrate Red Data Book. IUCN, Cambridge and Gland 632 pp.
396. Wells, S.M., Elliott, J.M. and Tullett, P.A. (1984). Status of the Medicinal leech Hirudo medicinalis. Letter to the Editor. Biological Conservation 30: 379-380.
397. Whitlock, M.R., O'Hare, P.M., Sanders, R. and Morrow, N.C. (1983). The medicinal leech and its use in plastic surgery: a possible case for infection. British Journal of Plastic Surgery 36: 240-244.
398. Wood, E.M. (1983). Reef corals of the World - Biology and Field Guide. T.F.H. Publications, Inc., Ltd., Neptune City. 256 pp.

- 253 - 399. Wood, E.M. and Tan, B.S. (1987). Hard corals. Chapter 3. In: The Coral Reefs of the Bodgaya Islands (Sabah: Malaysia) and Pulau Sipadan. Malayan Nature Journal 40(3-4): 285-310.
400. Woodhouse, L.G.O. (1950). The Butterfly Fauna of Ceylon. Second Edition. Colombo Apothecaries' Co. Ltd., Colombo. 231 pp.
401. Yamaguchi, M. (1977). Conservation and cultivation of giant clams in the tropical Pacific. Biological Conservation 11: 13-20.
402. Yang, R.T., Chi, K.S., Hu, S.C. and Chen, H.T. (1975). Corals, fishes and benthic biota of Hsiao-Liuchiu. Special Publications. Institute of Oceanography, National Taiwan University. Taipei 7: 53 pp.
403. Yang, R.T., Chiang, Y. and Huang, T. (1975). A report of the expedition to Tung-Sha reefs. Special Publications. Institute of Oceanography, National Taiwan University. Taipei 8: 33 pp.
404. Zapkuvene, D.V. (1972). Breeding and growing of medicinal leeches under laboratory conditions. 1. Breeding of Hirudo medicinalis f. serpentina and H. medicinalis f. officinalis. Lietuvos TSR Mokseu Akademijos Darbai Serija C. (Trudy Akademii Nauk Litovskoi CCP, Ser. B) 3(59): 71-84.
405. Zou, R. and Chen, Y (1983). Preliminary study of the geographical distribution of shallow-water Scleractinia corals from China. Nanhai Studia Marina Sinica 4: 89-95 (in Chinese with English abstract).
406. Zou, R., Meng, Z. and Guan, X. (1983). Ecological analyses of a hermatypic corals from the northern shelf of south China Sea. Tropic Oceanology 2(3): 1-6 (in Chinese with English abstract).

# INDEX - INVERTEBRATES

<u>Achatinella</u> .....	29
<u>Acropora</u> .....	36
<u>Aetheoptera</u> .....	19
Antipatharia.....	33
Apollo.....	19
Bhutan Glory.....	18
<u>Bhutanitis</u> .....	18
Birdwing, Abbe Allotte's.....	18
Birdwing, Black and Gold.....	21
Birdwing, Cairns.....	17
Birdwing, Chimaera.....	16
Birdwing, Common.....	21,17
Birdwing, Common Green.....	17
Birdwing, D'Urville's.....	19
Birdwing, Golden.....	20,21
Birdwing, Goliath.....	17
Birdwing, Malay.....	20
Birdwing, New Guinea.....	17
Birdwing, Paradise.....	17
Birdwing, Priam's.....	17
Birdwing, Queen Alexandra's.....	16
Birdwing, Queen Victoria's.....	19
Birdwing, Rajah Brooke's.....	20
Birdwing, Richmond.....	17
Birdwing, Rothschild's.....	17
Birdwing, Small.....	20
Birdwing, Tailed.....	17
Birdwing, Talaud Black.....	21
<u>Brachypelma</u> .....	22
Butterfly of Paradise.....	17
Clam, Bear Paw.....	23
Clam, Boring.....	25,24
Clam, China.....	23
Clam, Fluted.....	25
Clam, Frilly.....	25
Clam, Giant.....	24
Clam, Horse's Hoof.....	23
Clam, Saffron-coloured.....	24
Clam, Scaly.....	25
Clam, Small Giant.....	25
Clam, Southern Giant.....	24
Clam, Strawberry.....	23
<u>Conradilla</u> .....	26
Coral, Bean.....	42
Coral, Birds Nest.....	35
Coral, Black.....	44
Coral, Blue.....	44
Coral, Blue Ridge.....	44
Coral, Bottle-brush.....	36
Coral, Bowl.....	39
Coral, Brain.....	40
Coral, Brain Root.....	41
Coral, Brain Trumpet.....	42
Coral, Branch.....	36
Coral, Brown Stem Cluster.....	34
Coral, Brush.....	36,34
Coral, Bush.....	36,35
Coral, Button.....	38



Coral, Cactus.....	37
Coral, Carnation.....	42
Coral, Catch Bowl.....	36
Coral, Cauliflower.....	36, 34
Coral, Christmas.....	36
Coral, Crispy Crust.....	41
Coral, Elkhorn.....	36
Coral, Feather.....	38
Coral, Finger.....	36
Coral, Fire.....	43
Coral, Head.....	40
Coral, Hibiscus.....	42
Coral, Horse's Tooth.....	41
Coral, Hood.....	36
Coral, Hump.....	36
Coral, Joker.....	42
Coral, Jokers Boomerang.....	39
Coral, Knob.....	40
Coral, Knobbly.....	36
Coral, Leaf.....	37
Coral, Lesser Valley.....	40
Coral, Lace.....	36
Coral, Lettuce.....	42
Coral, Lobed Cup.....	41
Coral, Merulina.....	41
Coral, Mushroom.....	38
Coral, Needle.....	35
Coral, Neptune's Cap.....	39
Coral, Organpipe.....	44
Coral, Razor.....	38
Coral, Rose Tree.....	34
Coral, Slipper.....	39
Coral, Staghorn.....	36
Coral, Stinging.....	43
Coral, Table.....	36
Coral, Tree.....	36
Coral, Wello Fire.....	43
Coral, White Lace.....	34
Crocus.....	24
<u>Cryptabacia</u> .....	40
<u>Cyprogenia</u> .....	27
<u>Cyrtoneaias</u> .....	28
<u>Dromus</u> .....	26
<u>Dysnomia</u> .....	26
<u>Epioblasma</u> .....	26
<u>Euphyllia</u> .....	42
<u>Eurymia</u> .....	29
<u>Favia</u> .....	40
<u>Fungia</u> .....	38
<u>Fusconaia</u> .....	27
<u>Halomitra</u> .....	39
<u>Heliopora</u> .....	44
<u>Hippopus</u> .....	23
<u>Hirudo</u> .....	23
Kaiser-I-Hind.....	20
Kaiser-I-Hind, Golden.....	20
Kaiserihind.....	20
<u>Lampsilis</u> .....	27
Leech, Medicinal.....	23
<u>Lemiox</u> .....	26

<u>Lexingtonia</u> .....	28
<u>Lithactinia</u> .....	39
<u>Lobophyllia</u> .....	41
<u>Megalonaias</u> .....	28
<u>Merulina</u> .....	41
<u>Micromya</u> .....	29
<u>Millepora</u> .....	43
Mussel, Long Solid.....	27
Mussel, Orange-footed Pimpleback.....	28
Mussel, Tan Riffle Shell.....	27
Mussel, White Catspaw.....	26
<u>Ornithoptera</u> .....	18
<u>Papilio</u> .....	19
<u>Papuina</u> .....	32
<u>Papustyla</u> .....	32
<u>Parnassius</u> .....	19
<u>Paryphanta</u> .....	32
<u>Pavona</u> .....	37
Pearly Mussel, Alabama Lamp.....	28
Pearly Mussel, Appalachian Monkey-face.....	28
Pearly Mussel, Birdwing.....	26
Pearly Mussel, Brown-blossom.....	27
Pearly Mussel, Club.....	28
Pearly Mussel, Cumberland Bean.....	29
Pearly Mussel, Cumberland Pigtoe.....	28
Pearly Mussel, Cumberland Monkey-face.....	28
Pearly Mussel, Curtis.....	26
Pearly Mussel, Dromedary.....	26
Pearly Mussel, Edible.....	26
Pearly Mussel, Fat Pocketbook.....	28
Pearly Mussel, Fine-rayed Pigtoe.....	27
Pearly Mussel, Green-blossom.....	26
Pearly Mussel, Higgins' Eye.....	27
Pearly Mussel, Nicklin's.....	28
Pearly Mussel, Ozark Lamp.....	27
Pearly Mussel, Pale Lilliput.....	28
Pearly Mussel, Pink Mucket.....	27
Pearly Mussel, Plain Pocketbook.....	27
Pearly Mussel, Rough Pigtoe.....	28
Pearly Mussel, Sampson's.....	26
Pearly Mussel, Shiny Pigtoe.....	27
Pearly Mussel, Slab-sided.....	28
Pearly Mussel, Tampico.....	28
Pearly Mussel, Tan-blossom.....	26
Pearly Mussel, Tubercled-blossom.....	27
Pearly Mussel, Turgid-blossom.....	27
Pearly Mussel, Western Fan Shell.....	26
Pearly Mussel, White Warty-back.....	28
Pearly Mussel, Yellow-blossom.....	26
<u>Pectinia</u> .....	42
<u>Plagiola</u> .....	26
<u>Platygyra</u> .....	40
<u>Plethobasus</u> .....	28
<u>Pleurobema</u> .....	28
<u>Pocillopora</u> .....	34
<u>Polyastra</u> .....	38
<u>Polyphyllia</u> .....	39
<u>Potamilus</u> .....	28
<u>Powelliphanta</u> .....	32
<u>Priamoptera</u> .....	17

<u>Priamuspterus</u> .....	17
<u>Pseudocolumnastraea</u> .....	38
<u>Pupurangi</u> .....	32
<u>Quadrula</u> .....	28
<u>Ripponia</u> .....	21
<u>Schoenbergia</u> .....	17
<u>Seriatopora</u> .....	35
Shell, Curtis' Riffle.....	26
Shell, Green Riffle.....	26
Shell, Little Agate.....	29,30,31,32
Shell, Northern Club.....	28
Shell, Northern Riffle.....	27
Shell, Sampson's Riffle.....	26
Shell, Turberculed Riffle.....	27
Shell, Turgid Riffle.....	27
Shell, Yellow Riffle.....	26
Snail, Kauri.....	32
Snail, Manus Green Tree.....	32
Snail, Oahu Tree.....	29,30,31,32
<u>Stylophora</u> .....	36
Swallowtail, Chinese Three-tailed.....	16
Swallowtail, Corsican.....	19
Swallowtail, Homerus.....	19
Swallowtail, Ludlow's Bhutan.....	16
Swallowtail, Luzon Peacock.....	19
Swallowtail, Mansfield's Three-tailed.....	16
Tarantula, Mexican Red-kneed.....	22
<u>Teinopalpus</u> .....	20
<u>Toxolasma</u> .....	28
<u>Tridacna</u> .....	24
<u>Tridacophyllia</u> .....	42
<u>Trogonoptera</u> .....	20
<u>Troides</u> .....	20
<u>Truncilla</u> .....	26
<u>Tubipora</u> .....	44
<u>Unio</u> .....	28
<u>Villosa</u> .....	29

<u>abbreviata</u> , <u>Achatinella</u> .....	29
<u>aberti</u> , <u>Cyprogenia</u> .....	26
( <u>abrupta</u> , <u>Lampsilis</u> ).....	27
<u>admiralitatis priamus</u> , <u>Ornithoptera</u> .....	18
<u>aeacus</u> , <u>Troides</u> .....	20
<u>aesacus</u> , <u>Ornithoptera</u> .....	16
<u>akakeae</u> , <u>Ornithoptera</u> .....	16
<u>albescens brookiana</u> , <u>Trogonoptera</u> .....	20
( <u>alexandrae</u> , <u>Aetheoptera</u> ).....	16
<u>alexandrae</u> , <u>Ornithoptera</u> .....	16
( <u>allottei</u> , <u>Aetheoptera</u> ).....	16
<u>allottei</u> , <u>Ornithoptera</u> .....	16
<u>amphrysus</u> , <u>Troides</u> .....	20
<u>ampliata</u> , <u>Merulina</u> .....	41
( <u>analoga cor</u> , <u>Fusconaia</u> ).....	27
<u>andromache</u> , <u>Troides</u> .....	20
<u>annectens</u> , <u>Paryphanta</u> .....	32
( <u>annectens</u> , <u>Powelliphanta</u> ).....	32
<u>antileuca helena</u> , <u>Troides</u> .....	21
<u>antiopa hypolitus</u> , <u>Troides</u> .....	22
<u>apexfulva</u> , <u>Achatinella</u> .....	29
<u>apoensis magellanus</u> , <u>Troides</u> .....	22
<u>apollo</u> , <u>Parnassius</u> .....	19
<u>archideus priamus</u> , <u>Ornithoptera</u> .....	18
<u>arfakensis paradisea</u> , <u>Ornithoptera</u> .....	17
<u>ariadne haliphron</u> , <u>Troides</u> .....	21
( <u>arruana obiana</u> , <u>Ornithoptera</u> ).....	18
<u>arruana priamus</u> , <u>Ornithoptera</u> .....	18
<u>atlas goliath</u> , <u>Ornithoptera</u> .....	17
<u>aureus</u> , <u>Teinopalpus</u> .....	20
<u>bandensis oblongomaculatus</u> , <u>Troides</u> .....	22
( <u>bazilanicus</u> , <u>Troides</u> ).....	22
<u>bellula</u> , <u>Achatinella</u> .....	29
( <u>belzanor</u> , <u>Troides</u> ).....	22
<u>boisduvali priamus</u> , <u>Ornithoptera</u> .....	18
<u>borchi paradisea</u> , <u>Ornithoptera</u> .....	17
<u>bornemanni priamus</u> , <u>Ornithoptera</u> .....	18
<u>bouruensis oblongomaculatus</u> , <u>Troides</u> .....	22
<u>brevicula</u> , <u>Lampsilis</u> .....	27
( <u>brookiana</u> , <u>Ornithoptera</u> ).....	20
<u>brookiana</u> , <u>Trogonoptera</u> .....	20
( <u>brookiana</u> , <u>Troides</u> ).....	20
<u>buddii</u> , <u>Achatinella</u> .....	29
<u>bulimoides</u> , <u>Achatinella</u> .....	29
<u>burkei urvillianus</u> , <u>Ornithoptera</u> .....	21
<u>busbyi</u> , <u>Paryphanta</u> .....	32
<u>byronii</u> , <u>Achatinella</u> .....	29
<u>caelata</u> , <u>Conradilla</u> .....	26
<u>caelestis</u> , <u>Ornithoptera</u> .....	18, 16
<u>caesia</u> , <u>Achatinella</u> .....	29
<u>capax</u> , <u>Potamilus</u> .....	28
( <u>caperatus dromus</u> , <u>Dromus</u> ).....	26
<u>casta</u> , <u>Achatinella</u> .....	29
<u>celebensis criton</u> , <u>Troides</u> .....	21
<u>cellularis hypolitus</u> , <u>Troides</u> .....	22
<u>cereberus helena</u> , <u>Troides</u> .....	21
<u>cestus</u> , <u>Achatinella</u> .....	29
<u>charybdis chimaera</u> , <u>Ornithoptera</u> .....	16
<u>chikae</u> , <u>Papilio</u> .....	19
<u>chimaera</u> , <u>Ornithoptera</u> .....	16



(chimaera, Schoenbergia).....	16
chrysanthemum paradisea, Ornithoptera.....	17
cicatricosus, Plethobasus.....	28
clava, Pleurobema.....	28
coerulea, Heliopora.....	44
compta, Paryphanta.....	32
concovospira, Achatinella.....	29
(conradi, dolabelloides, Lexingtonia).....	28
cooperianus, Plethobasus.....	28
(cor, Fusconaia).....	27
criton, Troides.....	21
crocea, Tridacna.....	24
croesus, Ornithoptera.....	17
(croesus, Priamoptera).....	17
(croesus, Priamuspterus).....	17
cuneifer, Troides.....	21
cuneolus, Fusconaia.....	27
curta, Achatinella.....	30
(curtisi, Dysnomia).....	26
curtisi, Epioblasma.....	26
(curtisi, Plagiola).....	26
cylindrella, Toxolasma.....	28
darsius, Troides.....	21
decipiens, Achatinella.....	30
decora, Achatinella.....	30
(delicata sulcata, Epioblasma).....	26
derasa, Tridacna.....	24
dimorpha, Achatinella.....	30
dohertyi, Troides.....	21
dolabelloides, Lexingtonia.....	28
dromas, Dromus.....	26
edgariana, Fusconaia.....	27
elegans, Achatinella.....	30
epiphanes victoriae, Ornithoptera.....	19
euphorion, Ornithoptera.....	18, 17
ferrari helena Troides.....	21
fiordlandica, Paryphanta.....	32
(fiordlandica, Powelliphanta).....	32
flavicollis amphrysus, Troides.....	20
flavidior chimaera, Ornithoptera.....	16
fletcheri, Paryphanta.....	33
(florentina, Dysnomia).....	26
florentina, Epioblasma.....	26
(florentina, Plagiola).....	26
fulgens, Achatinella.....	30
fuscobasis, Achatinella.....	30
gebeensis, Ornithoptera.....	18, 17
gigas, Tridacna.....	24
gilliesi, Paryphanta.....	32
(gilliesi, Powelliphanta).....	32
goliath, Ornithoptera.....	17
gubernaculum torulosa, Epioblasma.....	26
(goliath, Schoenbergia).....	17
haliphron, Troides.....	22, 21
hanno oblongomaculatus, Troides.....	22
hecuba priamus, Ornithoptera.....	18
helena, Troides.....	22, 21
heliconoides helena, Troides.....	21
hephaestus helena, Troides.....	21
hypolitus, Troides.....	21

<u>higginsii</u> , <u>Lampsilis</u> .....	27
<u>hippopus</u> , <u>Hippopus</u> .....	23
<u>hochstetteri</u> , <u>Paryphanta</u> .....	33
( <u>hochstetteri</u> , <u>Powelliphanta</u> ).....	33
<u>homerus</u> , <u>Papilio</u> .....	19
<u>honrathiana</u> <u>vandepolli</u> , <u>Troides</u> .....	22
<u>hospiton</u> , <u>Papilio</u> .....	19
( <u>hypolitus</u> , <u>Ripponia</u> ).....	21
<u>hypolitus</u> , <u>Troides</u> .....	21
<u>ikarus</u> <u>haliphron</u> , <u>Troides</u> .....	21
<u>imperialis</u> , <u>Teinopalpus</u> .....	20
<u>imperatrix</u> <u>imperialis</u> , <u>Teinopalpus</u> .....	20
<u>intermedia</u> , <u>Quadrula</u> .....	28
<u>iris</u> <u>haliphron</u> , <u>Troides</u> .....	21
<u>isabellae</u> <u>victoriae</u> , <u>Ornithoptera</u> .....	19
<u>isara</u> <u>helena</u> , <u>Troides</u> .....	21
<u>juddii</u> , <u>Achatinella</u> .....	30
<u>juncea</u> , <u>Achatinella</u> .....	30
<u>kaguya</u> <u>aeacus</u> , <u>Troides</u> .....	20
<u>lehuiensis</u> , <u>Achatinella</u> .....	30
<u>leucorraphe</u> , <u>Achatinella</u> .....	30
<u>lidderdalii</u> , <u>Bhutanitis</u> .....	16
<u>lignaria</u> , <u>Paryphanta</u> .....	33
( <u>lignaria</u> , <u>Powelliphanta</u> ).....	33
<u>lila</u> , <u>Achatinella</u> .....	30
<u>livida</u> , <u>Achatinella</u> .....	31
<u>lorata</u> , <u>Achatinella</u> .....	31
<u>ludlowi</u> , <u>Bhutanitis</u> .....	16
<u>lydius</u> <u>croesus</u> , <u>Ornithoptera</u> .....	16
( <u>maculatus</u> , <u>Hippopus</u> ).....	23
<u>magellanus</u> , <u>Troides</u> .....	21
<u>mansfieldi</u> , <u>Bhutanitis</u> .....	16
<u>marapokensis</u> <u>andromache</u> , <u>Troides</u> .....	20
<u>marchanti</u> , <u>Paryphanta</u> .....	33
( <u>marchanti</u> , <u>Powelliphanta</u> ).....	33
<u>maurus</u> <u>helena</u> , <u>Troides</u> .....	21
<u>maxima</u> , <u>Tridacna</u> .....	25
<u>medicinalis</u> , <u>Hirudo</u> .....	23
<u>meridionalis</u> , <u>Ornithoptera</u> .....	17
( <u>meridionalis</u> , <u>Schoenbergia</u> ).....	17
<u>minos</u> , <u>Troides</u> .....	22
<u>miokensis</u> <u>priamus</u> , <u>Ornithoptera</u> .....	18
<u>miranda</u> , <u>Troides</u> .....	22
<u>misoolana</u> <u>tithonus</u> , <u>Ornithoptera</u> .....	19
<u>musica</u> , <u>Tubipora</u> .....	44
<u>mopa</u> <u>helena</u> , <u>Troides</u> .....	21
<u>moschylus</u> <u>helena</u> , <u>Troides</u> .....	21
<u>mustelina</u> , <u>Achatinella</u> .....	31
<u>naias</u> <u>heliphron</u> , <u>Troides</u> .....	21
<u>natunensis</u> <u>brookiana</u> , <u>Ornithoptera</u> .....	20
<u>neomiranda</u> <u>miranda</u> , <u>Troides</u> .....	22
<u>neoris</u> <u>helena</u> , <u>Troides</u> .....	21
<u>nereides</u> <u>helena</u> , <u>Troides</u> .....	21
<u>nereis</u> <u>helena</u> , <u>Troides</u> .....	21
<u>niasicus</u> <u>amphrysus</u> , <u>Troides</u> .....	20
( <u>nickliniana</u> , <u>Megalonaias</u> ).....	28
<u>nickliniana</u> , <u>Unio</u> .....	28
( <u>nomis</u> , <u>Troides</u> ).....	22
( <u>obiana</u> , <u>Ornithoptera</u> ).....	16
( <u>obiensis</u> , <u>Ornithoptera</u> ).....	16

<u>oblongomaculatus</u> , <u>Troides</u> .....	22
<u>orbiculata orbiculata</u> , <u>Lampsilis</u> .....	27
<u>pallens haliphron</u> , <u>Troides</u> .....	21
<u>papuensis oblongomaculatus</u> , <u>Troides</u> .....	22
<u>papyracea</u> , <u>Achatinella</u> .....	31
<u>paradisea</u> , <u>Ornithoptera</u> .....	17
<u>peninsulae cuneifer</u> , <u>Troides</u> .....	21
( <u>perobliqua sulcata</u> , <u>Dysnomia</u> ).....	26
<u>perobliqua sulcata</u> , <u>Epioblasma</u> .....	26
( <u>perobliqua sulcata</u> , <u>Plagiola</u> ).....	26
<u>phaeozona</u> , <u>Achatinella</u> .....	31
<u>pistor haliphron</u> , <u>Troides</u> .....	21
<u>plateni</u> , <u>Troides</u> .....	22
<u>plato</u> , <u>Troides</u> .....	22
<u>plenum</u> , <u>Pleurobema</u> .....	28
( <u>pompeus</u> , <u>Troides</u> ).....	22
<u>porcelanus</u> , <u>Hippopus</u> .....	23
<u>poseidon priamus</u> , <u>Ornithoptera</u> .....	18
<u>prattorum</u> , <u>Troides</u> .....	22
<u>priamus</u> , <u>Ornithoptera</u> .....	18, 17
<u>procus goliath</u> , <u>Ornithoptera</u> .....	17
<u>propinquus helena</u> , <u>Troides</u> .....	21
<u>pulcherrima</u> , <u>Achatinella</u> .....	31
( <u>pulcherrima</u> , <u>Papuina</u> ).....	32
<u>pulcherrima</u> , <u>Papustyla</u> .....	32
<u>pupukanioe</u> , <u>Achatinella</u> .....	31
<u>rangiana torulosa</u> , <u>Epioblasma</u> .....	26
<u>reginae victoriae</u> , <u>Ornithoptera</u> .....	19
<u>regis victoria</u> , <u>Ornithoptera</u> .....	19
( <u>reeviana</u> , <u>Villosa</u> ).....	27
<u>rhadamantus</u> , <u>Troides</u> .....	22, 21
<u>richmondia</u> , <u>Ornithoptera</u> .....	17
( <u>richmondia priamus</u> , <u>Ornithoptera</u> ).....	17
<u>riedeli</u> , <u>Troides</u> .....	22
( <u>rimosa</u> , <u>Lemiox</u> ).....	26
<u>rosea</u> , <u>Achatinella</u> .....	31
<u>rossiana</u> , <u>Paryphanta</u> .....	33
( <u>rossiana</u> , <u>Powelliphanta</u> ).....	33
<u>rothschildi</u> , <u>Ornithoptera</u> .....	17
( <u>rothschildi</u> , <u>Schoenbergia</u> ).....	17
<u>rubianus victoriae</u> , <u>Ornithoptera</u> .....	19
<u>ruficollis amphrysus</u> , <u>Troides</u> .....	20
<u>sagittatus helena</u> , <u>Troides</u> .....	21
<u>sampson goliath</u> , <u>Ornithoptera</u> .....	17
( <u>sampsoni</u> , <u>Dysnomia</u> ).....	26
<u>sampsoni</u> , <u>Epioblasma</u> .....	26
( <u>sampsoni</u> , <u>Plagiola</u> ).....	26
<u>satura</u> , <u>Lampsilis</u> .....	27
( <u>schoenbergi</u> , <u>Ornithoptera</u> ).....	17
( <u>schoenbergi</u> , <u>Schoenbergia</u> ).....	17
<u>smithi</u> , <u>Brachypelma</u> .....	122
<u>socrates heliophron</u> , <u>Troides</u> .....	21
( <u>sonani</u> , <u>Troides</u> ).....	21
<u>sowerbyana</u> , <u>Achatinella</u> .....	31
<u>spaldingi</u> , <u>Achatinella</u> .....	31
<u>sparsa</u> , <u>Quadrula</u> .....	28
<u>spedeni</u> , <u>Paryphanta</u> .....	33
( <u>spedeni</u> , <u>Powelliphanta</u> ).....	33
<u>spilotia helena</u> , <u>Troides</u> .....	21
<u>squamosa</u> , <u>Tridacna</u> .....	25
<u>staudingeri</u> , <u>Troides</u> .....	22

<u>stewartii</u> , <u>Achatinella</u> .....	31
<u>subrotunda</u> , <u>Fusconaia</u> .....	27
<u>sulaensis</u> <u>hypolitus</u> , <u>Troides</u> .....	22
( <u>sulcata</u> , <u>Dysnomia</u> ).....	26
<u>sulcata</u> , <u>Epioblasma</u> .....	26
( <u>sulcata</u> , <u>Plagiola</u> ).....	26
<u>sumatranus</u> <u>cuneifer</u> , <u>Troides</u> .....	21
<u>superba</u> , <u>Paryphanta</u> .....	33
( <u>superba</u> , <u>Powelliphanta</u> ).....	33
<u>supremus</u> <u>goliath</u> <u>Ornithoptera</u> .....	17
<u>swiftii</u> , <u>Achatinella</u> .....	31
<u>taeniolata</u> , <u>Achatinella</u> .....	32
<u>talpina</u> , <u>Polyphyllia</u> .....	39
( <u>tampicoensis</u> , <u>Cyrtonaias</u> ).....	28
<u>tampicoensis</u> , <u>Unio</u> .....	28
<u>tarunggarensis</u> <u>meridionalis</u> , <u>Ornithoptera</u> ..	17
( <u>tecomatensis</u> , <u>Cyrtonaias</u> ).....	28
<u>tecomatensis</u> , <u>Unio</u> .....	28
<u>thaanumi</u> , <u>Achatinella</u> .....	32
<u>thaidina</u> , <u>Bhutanitis</u> .....	16
<u>thestius</u> <u>oblongonaculatus</u> , <u>Troides</u> .....	22
<u>thomsoni</u> <u>aeacus</u> , <u>Troides</u> .....	20
<u>tithonus</u> , <u>Ornithoptera</u> .....	19
( <u>tithonus</u> , <u>Schoenbergia</u> ).....	19
( <u>torulosa</u> , <u>Dysnomia</u> ).....	27, 26
<u>torulosa</u> , <u>Epioblasma</u> .....	27, 26
( <u>torulosa</u> , <u>Plagiola</u> ).....	27, 26
( <u>torulosa</u> , <u>Truncilla</u> ).....	26
( <u>trabalis</u> , <u>Eurymia</u> ).....	29
( <u>trabalis</u> , <u>Micromya</u> ).....	29
<u>trabalis</u> , <u>Villosa</u> .....	29
<u>traversi</u> , <u>Paryphanta</u> .....	33
( <u>traversi</u> , <u>Powelliphanta</u> ).....	33
<u>trogon brookiana</u> , <u>Trogonoptera</u> .....	20
<u>trojana</u> , <u>Trogonoptera</u> .....	20
( <u>trojana</u> , <u>Troides</u> ).....	20
<u>turgida</u> , <u>Achatinella</u> .....	32
( <u>turgidula</u> , <u>Dysnomia</u> ).....	27
<u>turgidula</u> , <u>Epioblasma</u> .....	27
( <u>turgidula</u> , <u>Plagiola</u> ).....	27
<u>typhaon helena</u> , <u>Troides</u> .....	21
<u>urvillianus</u> , <u>Ornithoptera</u> .....	19, 18
<u>valida</u> , <u>Achatinella</u> .....	32
<u>vandepolli</u> , <u>Troides</u> .....	22
( <u>victoriae</u> , <u>Aetheoptera</u> ).....	19
<u>victoriae</u> , <u>Ornithoptera</u> .....	19
<u>virescens</u> , <u>Lampsilis</u> .....	28
<u>viridans</u> , <u>Achatinella</u> .....	32
<u>vistara amphrysus</u> , <u>Troides</u> .....	20
<u>vittata</u> , <u>Achatinella</u> .....	32
( <u>vordermanni</u> , <u>Troides</u> ).....	21
<u>vulpina</u> , <u>Achatinella</u> .....	32
<u>waigeuensis</u> <u>tithonus</u> , <u>Ornithoptera</u> .....	19
( <u>walkeri</u> , <u>Dysnomia</u> ).....	27
<u>walkeri</u> , <u>Epioblasma</u> .....	27
( <u>walkeri</u> , <u>Plagiola</u> ).....	27
( <u>walkeri</u> , <u>Truncilla</u> ).....	27









The Nature Conservancy Council is the body responsible for advising Government on nature conservation in Great Britain. Its work includes the selection, establishment and management of National Nature Reserves; the selection and management of Marine Nature Reserves; the identification and notification of Sites of Special Scientific Interest; the provision of advice and dissemination of knowledge about nature conservation; and the support and conduct of research relevant to these functions.

This is one of a range of publications produced by Publicity Services Branch. A catalogue listing current titles is available from Dept FCL, Nature Conservancy Council, Northminster House, Peterborough PE1 1UA.



**NATURE  
CONSERVANCY  
COUNCIL**

ISBN 0 86139 466 6 © NCC 1988